

HIIO 100 LED High Bay, 14,000 Lumens, IP65, 120-277v



SKU: AF87XU-100WC1D50D90A277J01

Product Page:

<https://www.accessfixtures.com/p/100w-led-high-bay-13000-lumens/>

Product Description

HIIO 100 LED High Bay, 14,000 Lumens, IP65, 120-277v is a perfect solution for those looking for a reliable high bay for commercial, retail, industrial, and sports applications.

High Lumen Output: The HIIO fixture boasts 140 lumens per watt, making this one of the most efficient luminaries in its class.

IP65 Rated: With a high IP rating and a die-cast aluminum housing, this fixture keeps out all dust and water.

Great Value: High lumen output and 90 degree light distribution ensure a superior

lumen-per-dollar value.

Features:

- 140 lumens per watt - 14,000 lumens - 120-277v - IP65 rating - Die-cast aluminum housing - Polycarbonate lens - Black powdercoat finish - 5000K - 70 CRI - 0-10v dimmable - L70 rated at 50,000 hours - UL / cUL / DLC/ETL listed - 90 degree medium optics - Depth: 9.96" - Height: 5.86" - Comes with 5' wires to easily reach an electrical box or outlet. **Access Fixtures Warranty**

Access Fixtures is proud to assemble high quality, long lasting lighting products which are covered by a 5-year warranty. In accordance with our warranty policy, we will offer repair, replacement, or refund for qualifying claims. Please contact our friendly customer service team, located in Worcester, MA, to address any questions or concerns you may have. We can be reached at 800-468-9925 Monday-Friday 9-5 EST or via email at sales@accessfixtures.com. Click here to view Access Fixtures' [complete warranty policy](#). **Need a Photometric Analysis for Your Project?**

A photometric analysis creates a computer simulation of a particular project. No matter what you are lighting, a photometric analysis is an easy way to quantify light levels before making a purchase. When a report is generated, a lighting specialist will walk you through it, page by page, so you know exactly what you will be receiving. Photometrics include average footcandles, minimum foot candles, uniformity ratios, fixture spacing, light trespass info, and more, plus, the cost of the study is refunded back to you when you purchase the fixture. Call us at 800-468-9925 for more information about ordering a photometric analysis for your project.


Ready to Order H110 100 LED High Bay or Speak to a Lighting Specialist?

You can place your order online, here. Or, if you want additional information, give us a call at 800-468-9925. Does your project require multiple fixtures? Ask us about quantity discounts. Our team of friendly expert lighting specialists is available to provide what you need to purchase fixtures and illuminate your project with confidence.

Product Attributes

- Dimensions: 14 × 14 × 9 in
- Weight: 11 lbs
- Availability: Typically ships in 5-7 business days
- Light Source: 5000K - Bright White
- Available Finishes: Black
- Ballast/Driver: LED Driver
- Color Rendering Index (CRI): 70+
- Features: L70 @ 50,000 Hours, Waterproof IP65
- Housing: Die cast aluminum housing
- Light Source Included: LED Array Included
- Lens: Clear polycarbonate lens
- Listings: CuL Listed, DLC Listed, ETL Listed, IP65, UL
- Light Source Lumens: 14,000
- Mounting: Hook Mount
- Product Family: H110
- Rated Life: 50,000 Hours
- System Watts: 100
- Voltage: 120-277v
- Warranty: 5-Year Limited Warranty

Product Gallery



55 HIIO 100s

50' x 100' indoor arena
10' ceilings
31.4 avg fc, 2.86 max/min

