

## APTA-C 160 590nm Amber Surface Mount Light, 120-277v



**SKU:** AF72XFLB160D-TURTLE

**Product Page:**

<https://www.accessfixtures.com/p/156w-marine-turtle-canopy-light-apta/>

### Product Description

APTA-C 160 590nm Amber Surface Mount Light, 120-277v is a surface mount fixture for commercial and industrial use.

**590nm Amber:** This fixture is available in 590nm amber which cannot be seen by turtles and other wildlife.

**Choice of Optics:** APTA-C is available with fourteen different choices of optics.

**IP67:** This fixture is sealed completely and IP67 rated against water and dust.

**APTA-C 160 590nm Amber Surface Mount Light, 120-277v Features:**  
- Die-cast aluminum housing - 120-277v - 95 lumens per watt - 50,000 L70

hours - IP67/UL/ CUL/ DLC/ LM79/ CB/ CE/ SAA/ RoHS / IK10 - Controls-ready -  
Surface mount - 5 year warranty APTA-C 160 590nm Amber Surface

### Mount Light, 120-277v Options:

- Black, White, Bronze, or Gray - Fourteen options for optics and light  
distribution - 0-10v dimming - Vandal resistant screws - Surge protection -  
Photocell - Marine grade finish Access Fixtures Warranty

Every EPTA comes with a five-year warranty. Our customer service team located in Worcester, MA, is always here to help address any after-sale questions or concerns that come up. However, if your product is found to have a manufacturing defect, we will either replace components, the entire product, or issue a refund. We stand behind the quality of our products and pride ourselves in both customer service and open communication. If you have any questions, feel free to give us a call at 800-468-9925.

### Need a Photometric Analysis for Your Project?

A photometric analysis is a computer simulation of a particular project. Whether using these fixtures to illuminate a parking lot, athletic field, rail yard, dock, or something else entirely, a photometric analysis is an easy way to quantify your light levels before making a big purchase. This service will provide average footcandles, max/min (uniformity) ratios, minimum footcandles, light trespass levels, and more. When the report(s) are generated, a lighting specialist will walk you through them, page by page, so you know exactly what you will be receiving. Call us at 800-468-9925 or email [customerservice@accessfixtures.com](mailto:customerservice@accessfixtures.com) for more information about ordering a photometric analysis for your project.

### Ready to Order an APTA-C 160 590nm Amber Surface Mount Light, 120-277v or Speak to a Lighting Specialist?



If you need some additional information about this fixture, give us a call at 800-468-9925. Of course, you can place your order online, right here, but our team is available to answer any questions that may come up. Does your project require multiple fixtures? Ask us about quantity discounts. We are here to provide anything you need to purchase fixtures and illuminate your project with confidence.

## Product Attributes

- Dimensions: 12.99 &times; 12.99 &times; 5.04 in
- Weight: 14.22 lbs
- Availability: Typically ships in 6-8 weeks.
- Available Finishes: Black, Bronze, Gray, White
- Ballast/Driver: Electronic 50/60 Hz
- Housing: Modular design, Vandal resistant screws optional, Die cast aluminum housing, Finish meets 1000-hour salt-spray certification per ASTM B117/ ISO 9227:2012
- Lens: 15+ optical lenses available for specific distribution patterns
- Light Source: 590nm Amber
- Light Source Included: LED Array Included
- Light Source Lumens: 8990
- Light Source Lumens Filter: 5,000 - 9,999
- Listings: IP67, CB, CE, CuL Listed, DLC Listed, IK08, LM79, RoHS, UL Listed
- Mounting: Surface Mount
- Rated Life: 50,000 Hours
- System Watts: 156
- Voltage: 120-277v
- Warranty: 5-Year Limited Warranty

## Product Gallery

## APTA 156w Marine Turtle Canopy Light



**APTA LEDs feature built-in beam angles.  
Shown here are ISO plot and polar curve for a 60° beam angle.**





**APT A Canopy  
Mount Bracket  
(156w shown)**



**APT Power Supply  
(156w shown)**

