

## SQR 21w Small LED Flood Light 120-277v



**SKU:** AF33XFL20L1X18U5KZK

**Product Tags:** [LED](#)

**Product Page:**

<https://www.accessfixtures.com/p/18w-small-led-flood-light-120v-277v/>

### Product Description

SQR 21w LED Flood Light is an extreme life flood light luminaire that is designed to replace HID lighting systems up to 70w MH or HPS.

**Extreme Life:** This small LED flood light has extreme life and is rated L70 @ 128,000 hours for years of life.

**Easy Mounting Options:** Featuring a knuckle mount, this LED luminaire can be easily mounted on an electrical box, ground stake or pipe caps.

**Durable Construction:** Die cast aluminum housing and front frame with architectural bronze powder-coat finish over a chromate conversion coating protects this fixture from corrosion.

## Other Features:

- 21 system watts - Dimmable 0-10v - 120v-277v - Integrated heat sink technology - 1/2" NPS Knuckle mount - 80 CRI - Up to 2,324 lumens - IP66 rated

## Options:

- Choice of 4K or 5K - Choice of photocell - Glare shield available - Ground stake mounting hardware available - Bronze or Custom RAL color Access Fixtures 5-Year

## Warranty

All Access Fixtures products come with a 5-year warranty. If your product is found to have a manufacturing defect, we will replace components, the entire product, or issue a refund. We stand behind the quality of our products. Our customer service team, located in Worcester, MA, is happy to address any questions, comments, or concerns you may have. Please give us a call at 800-468-9925. Please view Access Fixtures' [return policy](#). Need a Photometric Analysis for Your SQR 21w Small LED Flood Light Project?

A photometric analysis creates a computer simulation of a particular project. No matter what you are lighting, a photometric analysis is an easy way to quantify light levels before purchasing. When a report is generated, a lighting specialist will walk you through it so you know exactly what you will be receiving. Photometrics include average and minimum footcandles, uniformity ratios, spacing, light trespass info, and more. Plus, the cost of the study is refunded back to you when you purchase the fixtures. Call us at 800-468-9925 for more information about ordering a photometric analysis for your project.

Ready to Order SQR 21w Small LED Flood Light or Speak to a Lighting Specialist?

You can place your order online, here. Or, if you want additional information, give us a call at 800-468-9925. Does your project require multiple fixtures? Ask us about quantity discounts. Our team of friendly expert lighting specialists are available to provide what you need to purchase fixtures and illuminate your project with confidence.

## Product Attributes

- Dimensions: 5.25 &times; 6.75 &times; 4.375 in
- Weight: 6 lbs
- Available Finishes: Bronze
- Light Source: 4000K - Cool White, 5000K - Bright White
- Ballast/Driver: Electronic 50/60 Hz
- Color Rendering Index (CRI): 80+
- Housing: Die cast aluminum housing with architectural bronze powdercoat finish over chromate conversion coating.
- System Watts: 21
- Lens: Clear tempered glass lens
- Light Source Included: Lamp is included.
- Light Source Lumens: 1584
- Listings: CSA: Listed for wet locations, LM-79 report available on select models
- Mounting: 1/2" NPS adjustable threaded knuckle (included). Optional ground stake mount or pole top fitter mount also available.
- Reflector: Aluminum Reflector
- Voltage: 120-277v
- Warranty: 5-Year Limited Warranty
- Product Family: SQUR
- Availability: Typically ships in 2-4 weeks
- Rated Life: 128,000 hours

## Product Gallery

