


## APTA 200 No UV - No Light Below 450nm Surface Mount Light, 347-480v



**SKU:** AF72XFLC200DBSNOUVHC

**Product Page:**

<https://www.accessfixtures.com/p/196w-factory-light-347-480v-no-uv-apta/>

### Product Description

APTA 200 No UV - No Light Below 450nm Surface Mount Light, 347-480v is a surface mount fixture for commercial and industrial use.

**No UV - No Light Below 450nm:** This fixture utilizes broad spectrum no-UV technology for no UV light or degradation EVER.

**Choice of Optics and Flicker Free:** Flicker free, and available in fourteen different choices of optics including glare-free diffuser.

**IP67 for Clean Rooms:** This fixture is sealed completely and IP67 rated for clean

rooms.

## APTA 200 No UV - No Light Below 450nm Surface Mount Light, 347-480v

### Features:

- Die-cast aluminum housing - 347-480v - Up to 13,973 lumens - 50,000 L70 hours - IP67/UL/ CUL/ DLC/ LM79/ CB/ CE/ SAA/ RoHS / IK10 - Controls-ready - Surface mount - 5 year warranty

### APTA 200 No UV - No Light Below 450nm Surface Mount Light, 347-480v Options:

- Black, White, Bronze, or Gray - Fourteen options for optics and light distribution - 0-10v dimming - Vandal resistant screws - Marine grade finish

## Access Fixtures Warranty

Every EPTA comes with a five-year warranty. Our customer service team located in Worcester, MA, is always here to help address any after-sale questions or concerns that come up. However, if your product is found to have a manufacturing defect, we will either replace components, the entire product, or issue a refund. We stand behind the quality of our products and pride ourselves in both customer service and open communication. If you have any questions, feel free to give us a call at 800-468-9925.

## Need a Photometric Analysis for Your Project?

A photometric analysis is a computer simulation of a particular project. Whether using these fixtures to illuminate a parking lot, athletic field, rail yard, dock, or something else entirely, a photometric analysis is an easy way to quantify your light levels before making a big purchase. This service will provide average footcandles, max/min (uniformity) ratios, minimum footcandles, light trespass levels, and more. When the report(s) are generated, a lighting specialist will walk you through them, page by page, so you know exactly what you will be receiving. Call us at 800-468-9925 or email [customerservice@accessfixtures.com](mailto:customerservice@accessfixtures.com) for more information about ordering a photometric analysis for your project.

## Ready to Order an APTA 200 No UV - No Light Below 450nm Surface Mount Light, 347-480v or Speak to a Lighting Specialist?

If you need some additional information about this fixture, give us a call at



800-468-9925. Of course, you can place your order online, right here, but our team is available to answer any questions that may come up. Does your project require multiple fixtures? Ask us about quantity discounts. We are here to provide anything you need to purchase fixtures and illuminate your project with confidence.

## Product Attributes

- Dimensions: 17.72 &times; 12.99 &times; 5.04 in
- Weight: 18.12 lbs
- Availability: Typically ships in 6-8 weeks.
- Available Finishes: Black, Bronze, Gray, White
- Ballast/Driver: Electronic 50/60 Hz
- Housing: Die-cast aluminum housing with corrosion-resistant polyester powder. Finish meets 1,000-hour salt-spray certification per ASTM B117/ISO 9227:2012. Modular LED design with IP67 rating.
- Lens: 15+ optical lenses available for specific distribution patterns
- Light Source: No UV LED Lights
- Listings: IP67, CuL Listed, RoHS, UL Listed
- Rated Life: 50,000 Hours
- Voltage: 347-480v
- Warranty: 5-Year Limited Warranty
- Light Source Included: LED Array Included
- Light Source Lumens: 13973
- System Watts: 181

## Product Gallery

## APTA 196w No-UV Factory Light



**APTA LEDs feature built-in beam angles.**  
Shown here are ISO plot and polar curve for a 60° beam angle.






**APTA Power Supply  
(156w shown)**



**APTA Canopy  
Mount Bracket  
(156w shown)**





### Broad Spectrum No UV Visibility



### White Light Visibility



### White Light Visibility



### Broad Spectrum No UV Visibility

