

ANDO 70w LED Canopy Light 120-277v - 70,000-Hour Life, 5-Year Warranty, IP65

ANDO 70w CANOPY LIGHT



SKU: AF38XVPLCPA70WAN12050KSM

Product Page: <https://www.accessfixtures.com/p/70w-led-canopy-fixtures/>

Product Description

The cost-conscious ANDO 70w LED Canopy Fixtures operate at 120 lumens per watt. With an extremely low profile (4" height with backplate), the ANDO luminaire delivers terrific light and is a discreet, professional option for parking garages, residential or commercial garages, canopies, entrance ways, overhangs, and elsewhere.

Surface mounting
with metal plate.



 AccessFixtures
High-Performance Lighting Solutions

ANDO 70w led canopy fixtures feature a back plate for surface mounting.
How Many ANDO 70w LED Canopy Fixtures Do I Need?

Different projects require different light levels. However, Access Fixtures can do the heavy lifting to make sure you select the perfect fixture for you. We've run many photometric reports for these fixtures and, using our in-house calculator, can tell you exactly how many fixtures you need to illuminate your area to the appropriate light levels. Of course, if you have a particularly unique space, we can also run a custom photometric analysis for you. Call our team at 800-468-9925 to discuss.

ANDO 70W Light Output, Beam Angle & Distribution

The ANDO 70w LED Canopy Light delivers high-efficacy light in a crisp, white color temperature of 5000K. These units come standard with a wide 120-degree beam spreads. This wide beam is ideal for evenly and effectively covering large areas.

Lifetime: 70,000 Hours

ANDO 70w LED Canopy Fixtures are L70 rated for 70,000 hours. This rating means that after 70,000 hours of use, the units will emit 70% of the light they emitted when they were first installed. The units will continue operating beyond that time, but at 70% output, you may be ready to consider replacements.

Housing & Mounting

ANDO 70w LED Canopy Fixtures feature die-cast housings and polycarbonate lenses. Overall dimensions measure 10.5" x 10.5" x 4".

These commercial-grade high bay fixtures are designed to be surface mounted using the metal plate (included). These units are also IP65 rated against dust and water: Install them indoors, outdoors, or anywhere in between.

Ratings, Listings, & Warranty

Buy with confidence. ANDO fixtures boast DLC, ETL, CD, and RoHS certification, plus they are backed by a 5-year warranty. Our customer service team based out of Worcester, MA, is on-call whenever you or your electrician needs additional information.

Line Voltage Compatibility

ANDO 70w LED Canopy Fixtures will auto-sense line voltages between 120v and 277v.

Ready to Order Your New ANDO Fixtures? Have More Questions?

You can either place your order online or give us a call anytime at 800-468-9925. Alternatively, you can send Access Fixtures an email at customerservice@accessfixtures.com and one of our team members will contact you as soon as possible.

Access Fixtures Warranty

Access Fixtures is proud to assemble high quality, long lasting lighting products which are covered by a 5-year warranty. In accordance with our warranty policy, we will offer repair, replacement, or refund for qualifying claims. Please contact our friendly customer service team, located in Worcester, MA, to address any questions or concerns you may have. We can be reached at 800-468-9925 Monday-Friday 9-5 EST or via email at sales@accessfixtures.com. Click here to view Access Fixtures' [complete warranty policy](#).

Product Attributes

- Dimensions: 10.5 × 10.5 × 4 in
- Weight: 6 lbs
- Light Source: 5000K - Bright White
- Availability: Typically ships in 7-10 business days
- Available Finishes: Bronze
- Ballast/Driver: Electronic 50/60 Hz
- Color Rendering Index (CRI): 70+
- Housing: Die-cast aluminum housing
- Lens: Clear polycarbonate lens
- Light Source Included: LED Array Included
- Light Source Lumens: 8400
- Listings: RoHS Compliant, CE, ETL Listed, IP65
- Mounting: Surface Mount
- Rated Life: 70,000 Hours
- System Watts: 70
- Voltage: 120-277v
- Warranty: 5-Year Limited Warranty

Product Gallery

Surface mouting
with metal plate.



LED inside ANDO Canopy



