

## APTO 20 LED Full Cutoff Wall Pack, EXTREME-LIFE, 120-277v



**SKU:** AF88XWFA20L

**Product Tags:** [Dark Sky Friendly](#), [LED](#), [Wall Pack](#)

**Product Page:**

<https://www.accessfixtures.com/p/apto-20-led-full-cutoff-wall-pack-120-277v/>

### Product Description

#### APTO Full Cutoff Wall Pack Notes:

- APTO Full Cutoff Wall Pack dimensions are provided in the attached product pdf

Lumens per Watt may vary based on mA used to achieve wattage(LPW)

Low Kelvin reduces Lumens per Watt (LPW)

- 5700K is about approximately 160 LPW - 5000K is about approximately 140 LPW - 3000K is about approximately 125 LPW - 2200K is about

approximately 112 LPW APTO Full Cutoff Wall Pack Features:

- Die-cast aluminum housing - IP66 wet location rated - 10KA Surge protection standard - L70 @ 200,000+ hours - CSA listed

>Color rendering of Ra>70 standard, Ra>80 and Ra>90 Optional

- Operating temperature -40°C to +50°C, -40°F to 122°C - 1-10v Dimming -

5-Year limited warranty APTO Full Cutoff Wall Pack Selections:

- Select Finish - bronze, black, white, or gray - Select Kelvin - 2200K, 3000K, 4000K, 5000K, or 5700K - Select Mount - 2 3/8" or 2 7/8" vertical tenon - Select

Optics - Optics APTO Full Cutoff Wall Pack Options:

- Option - Backlight blockers - Option - RAL finishes available with MOQ

Option - Ra>80 or Ra>90 (color rendering)

- Option - Photocell - Option - Programable microwave occupancy/daylighting sensor - Option - Emergency power supply - Option - Works with DALI, PWM or DMX controls when ordered/specified for these operating systems - Option - 10-Year limited warranty Access Fixtures Warranty

Access Fixtures is proud to assemble high quality, long lasting lighting products which are covered by a 5-year warranty. In accordance with our warranty policy, we will offer repair, replacement, or refund for qualifying claims. Please contact our friendly customer service team, located in Worcester, MA, to address any questions or concerns you may have. We can be reached at 800-468-9925 Monday-Friday 9-5 EST or via email at [sales@accessfixtures.com](mailto:sales@accessfixtures.com). Click here to view Access Fixtures' [complete warranty policy](#). Need a Custom Photometric Analysis Project?

A photometric analysis is a custom computer simulation of your particular project. This service provides average footcandles at various heights, max/min (uniformity) ratios, minimum footcandles, light trespass levels, and more. For exacting lighting specifications, a photometric analysis helps you ensure light levels before making a big purchase. One of our lighting specialist will walk you through the process so you know exactly what you will be receiving. Call us at 800-468-9925 or [customerservice@accessfixtures.com](mailto:customerservice@accessfixtures.com) for more information about ordering a photometric analysis for your project.

Ready to Order or Speak to a Lighting Specialist?

You can place your order online or if you want additional information, give us a call

at 800-468-9925.

Does your project require multiple fixtures? Ask us about quantity discounts.

## Product Attributes

- Dimensions: 16 &times; 11 &times; 8 in
- Weight: 7 lbs
- Availability: Typically ships in 6-8 weeks.
- Light Source: 2200 Kelvin - Very Warm White, 3000K - Neutral White, 4000K - Cool White, 5000K - Bright White, 5700K - Cinematography
- Available Finishes: Black, Bronze, Gray, White
- Color Rendering Index (CRI): 70+, 80+, 90+
- Housing: Modular design, Vandal resistant screws optional, Die cast aluminum housing, Finish meets 1000-hour salt-spray certification per ASTM B117/ ISO 9227:2012
- Lens: 12+ Optics available to meet all light distribution requirements
- Light Source Included: LED Array Included
- Light Source Lumens: 3,000
- Listings: IP67, RoHS Compliant, CB, CE, CuL Listed, DLC Listed, IK08, LM79, SAA, UL Listed
- Mounting: Wall Mount
- Product Family: APTO
- Rated Life: 200,000+ Hours
- System Watts: 20
- Voltage: 120-277v
- Warranty: 5-Year Limited Warranty, Optional 10-Year Limited Warranty
- Style: Full Cutoff

## Product Gallery





