

ARCI 24 Marine Grade Finish Bollard Light, EXTREME-LIFE, 19", 35" or 42"h



SKU: AF59XELB-024

Product Tags: [Bollard](#), [LED](#)

Product Page:

<https://www.accessfixtures.com/p/arci-24-led-bollard-light-19-or-35-extreme-life-120-277v/>

Product Description

ARCI 24 LED Marine Grade Finish Bollard Light Features

14 system watts

- L70 @ 120,000 hours - UL, CuL, DLC, ETL, RoHS, CB, SAA listed - 80Ra - IP66 rated - Black powdercoat finish - Die-cast aluminum housing - Polycarbonate lens - -22°F to 122°F - 0-10v dimmable - 1,920 lumens

All mounting hardware including anchor bolts included

- 6.5" diameter ARCI 24 LED Marine Grade Finish Bollard Light Options:
- 2200K, 2700k, 3000K, 4000K, or 5000K - Type III, Type IV, or Type V Optics -
- 19.7", 35.43", or 42" height - Surge protection - Backlight shield Access

Fixtures Warranty

Access Fixtures is proud to assemble high quality, long lasting lighting products which are covered by a 5-year warranty. In accordance with our warranty policy, we will offer repair, replacement, or refund for qualifying claims. Please contact our friendly customer service team, located in Worcester, MA, to address any questions or concerns you may have. We can be reached at 800-468-9925 Monday-Friday 9-5 EST or via email at sales@accessfixtures.com. Click [here](#) to view Access Fixtures' [complete warranty policy](#). Need a Photometric Analysis for Your ARCI 24 LED Marine Grade Finish Bollard Light Project?

A photometric analysis creates a computer simulation of a particular project. No matter what you are lighting, a photometric analysis is an easy way to quantify light levels before purchasing. When a report is generated, a lighting specialist will walk you through it so you know exactly what you will be receiving. Photometric studies include average and minimum footcandles, uniformity ratios, spacing, light trespass info, and more. Plus, the cost of the study is refunded back to you when you purchase the fixtures. Call us at 800-468-9925 for more information about ordering a photometric analysis for your project.

Ready to Order or Speak to a Lighting Specialist?

You can place your order online, [here](#). Or, if you want additional information, give us a call at 800-468-9925. Does your project require multiple fixtures? Ask us about quantity discounts. Our team of friendly expert lighting specialists are available to provide what you need to purchase fixtures and illuminate your project with confidence.

Product Attributes


- Dimensions: 40 × 11 × 11 in
- Weight: 25 lbs
- Availability: Typically ships in 2-4 weeks
- Light Source: 2200 Kelvin - Very Warm White, 2700K - Warm White, 3000K - Neutral White, 4000K - Cool White, 5000K - Bright White
- Available Finishes: Black
- Housing: Die cast aluminum housing
- Lens: Clear polycarbonate lens
- Light Source Included: LED Array Included
- Light Source Lumens: 1,920
- Listings: IP66, RoHS Compliant, CuL Listed, DLC Listed, ETL Listed, UL Listed
- Mounting: Mounting kit with anchor bolts Included.
- Rated Life: 120,000 Hours
- Size: 6.5"
- Style: Round Flat Top
- System Watts: 24
- System Watts Filter: 20w - 49w
- Voltage: 120-277v
- Warranty: 5-Year Limited Warranty



Product Gallery




**ARCI shown
with optional
backlight shield**







ARCI 24 35.4" T5 Optics
1fc up to 9' across and 5' out



ARCI 24 19.7" T5 Optics
1fc up to 6' across and 3' out



