

ARTO 57w 590nm LED FWC Certified Garage Light, EXTREME-LIFE



SKU: AF33XVN55QF1X52

Product Tags: [Exterior Lighting](#), [fwc](#), [LED](#), [LED Amber](#), [Outdoor Lighting](#), [Turtle-Friendly](#), [Wildlife-Friendly](#)

Product Page:

<https://www.accessfixtures.com/p/arto-57w-590nm-amber-led-fwc-certified-garage-light-extreme-life/>

Product Description

ARTO 57w FWC Certified 590nm Amber LED Garage Lighting Features:
- 13.75L x 11.25W x 2.5H - 590nm Amber (wildlife and turtle friendly) - FWC certified with baffle - BAA Compliant

100-277VAC 50/60Hz

- White, bronze, or custom RAL finish - Type V optics - Electronic, dimmable

driver - 2,292 lumens - 40 LPW

EXTREME-LIFE L70 @ 219,000 hours

- Longer life equals better performance and less downtime for lamp replacements and other repairs. - CSA Listed for Wet Locations, ANSI/UL 1598, 8750 (damp locations when used with Quick-Mount bracket) - IP66 rated - Textured architectural powder coat finish over a chromate conversion coating

Molded UV-stabilized acrylic optical lens

- designed for garage lighting applications

Easy-hang bracket fits standard 4" electrical box

- one-person installation - optional quick-mount/pendant bracket available - Mounting heights of 8-14ft. - Photocell Adaptable - Operating temperature: -40°C~+50°C ARTO 57w FWC Certified 590nm Amber LED Garage

Lighting Options:

- 0-10v dimming - Microwave motion sensor - Photocell - White, bronze or custom RAL Access Fixtures Warranty

Access Fixtures is proud to assemble high quality, long lasting lighting products which are covered by a 5-year warranty. In accordance with our warranty policy, we will offer repair, replacement, or refund for qualifying claims. Please contact our friendly customer service team, located in Worcester, MA, to address any questions or concerns you may have. We can be reached at 800-468-9925 Monday-Friday 9-5 EST or via email at sales@accessfixtures.com. Click here to view Access Fixtures' [complete warranty policy](#). Need a Photometric Analysis for Your ARTO FWC Certified 590nm Amber LED Garage Lighting Project?

A photometric analysis creates a computer simulation of a particular project. No matter what you are lighting, a photometric analysis is an easy way to quantify light levels before purchasing. When a report is generated, a lighting specialist will walk you through it so you know exactly what you will be receiving. Photometric studies include average and minimum footcandles, uniformity ratios, spacing, light trespass info, and more. Plus, the cost of the study is refunded back to you when you purchase the fixtures. Call us at 800-468-9925 for more information about

ordering a photometric analysis for your project.


Ready to Order or Speak to a Lighting Specialist?

You can place your order online, here. Or, if you want additional information, give us a call at 800-468-9925. Does your project require multiple fixtures? Ask us about quantity discounts. Our team of friendly expert lighting specialists are available to provide what you need to purchase fixtures and illuminate your project with confidence.

Product Attributes

- Dimensions: 18 × 18 × 12 in
- Weight: 14 lbs
- Availability: Typically ships in 7-10 business days
- Available Finishes: Bronze, White, Custom RAL
- Ballast/Driver: Electronic 50/60 Hz
- Features: Wildlife Friendly
- Housing: Low-profile, die-cast aluminum housing with 1/2" coin plugs.
- Lens: Molded, UV-resistant acrylic lens
- Light Source: 590nm Amber
- Light Source Included: LED Array Included
- Light Source Lumens: 2292
- Listings: CSA - listed for wet Locations, IP66
- Mounting: Includes hands-free easy-hang bracket to mount over 4-inch electrical box, Quick-mount bracket available
- Rated Life: 219,000 Hours
- System Watts: 57
- Voltage: 120v, 208v, 240v, 277v
- Warranty: 5-Year Limited Warranty

Product Gallery



Garage Lighter
(back shown with built-in Easy-Hang bracket)






Optional Hinged Quick-Mount
(2 views)



Spectral Chart - Amber LED





**BUY AMERICAN
ACT COMPLIANT**