

## BASC 2'x4' 25w 36w 50w Selectable Kelvin LED Troffer



**SKU:** AF87XT7BH50WDWCCT3.55J01

**Product Tags:** [High Bay](#)

**Product Page:**

<https://www.accessfixtures.com/p/basc-2x4-25w-36w-50w-selectable-kelvin-led-troffer/>

### Product Description

BASC 2'x4' 25w 36w 50w Selectable Kelvin LED Troffer is an LED troffer intended for miscellaneous commercial indoor projects such as cafeterias, schools, offices, and more.

**Selectable Wattage:** This fixture is available with a built-in choice of 25w 36w or 50w.

**Selectable Kelvin:** BASC is available with a selectable 3500K, 4000K, or 5000K --

choose your own ambiance.

**Flicker Free:** This LED fixture is powered by a 120-277v driver that won't flicker, ever.

### BASC 2'x4' 25w 36w 50w Selectable Kelvin LED Troffer Features:

- 25w 36w or 50w - 3500K, 4000K, or 5000K - 140 lumens per watt - White frosted polycarbonate lens - >80 CRI - Flicker-free - Troffer mount - L70 @ 50,000 hours - -30° to 140° F - 120° beam - Low profile - 0-10v dimmable - 24" x 48" - 28 lbs each **Access Fixtures Warranty**

Access Fixtures is proud to assemble high quality, long lasting lighting products which are covered by a 5-year warranty. In accordance with our warranty policy, we will offer repair, replacement, or refund for qualifying claims. Please contact our friendly customer service team, located in Worcester, MA, to address any questions or concerns you may have. We can be reached at 800-468-9925 Monday-Friday 9-5 EST or via email at [sales@accessfixtures.com](mailto:sales@accessfixtures.com). Click [here](#) to view Access Fixtures' [complete warranty policy](#). Need a Photometric Analysis for Your BASC 2'x4' 25w 36w 50w Selectable Kelvin LED Troffer?


A [photometric analysis](#) creates a computer simulation of a particular project. No matter what you are lighting, a photometric analysis is an easy way to quantify light levels before purchasing. When a report is generated, a lighting specialist will walk you through it so you know exactly what you will be receiving. Photometrics include average and minimum footcandles, uniformity ratios, spacing, light trespass info, and more. Plus, the cost of the study is refunded back to you when you purchase the fixtures. Call us at 800-468-9925 for more information about ordering a photometric analysis for your project.

### Product Attributes

- Dimensions: 24 &times; 48 &times; 5 in
- Weight: 30 lbs

- Application: Troffers & Panels
- Availability: Typically ships in 7-10 business days
- Light Source: 3000K - Neutral White, 3500K - Neutral White, 4000K - Cool White, 5000K - Bright White
- Available Finishes: White
- Ballast/Driver: Electronic 50/60 Hz
- Color Rendering Index (CRI): 80+
- Housing: Aluminum
- Light Source Included: LED Array Included
- Light Source Lumens: 5040, 7000, 4200
- Listings: CUL, ETL Listed, UL
- Mounting: Troffer Mount
- Product Family: BASC
- Rated Life: 50,000 Hours
- System Watts: 25, 36, 50
- Voltage: 120v, 208v, 240v, 277v
- Warranty: 5-Year Limited Warranty

## Product Gallery



Product data have been exported from - [Access Fixtures](#)

Export date: Tue May 30 11:01:35 2023 / +0000 GMT