


Bocce LED Lighting with 2 Poles 13' x 90' Court - 10 fc 2.81 max/min



SKU: AF72XBOC13x90FLB280L2P202-FC10

Product Tags: [Bocce](#)

Product Page:

<https://www.accessfixtures.com/p/bocce-led-lighting-with-poles-13x90/>

Product Description

The Bocce LED Lighting with 2 Poles 13' x 90' Court - 10 fc 2.81 max/min is a bocce court lighting solution for homeowners and recreational facilities.

Extreme Life: This bocce court lighting package is L70 rated at over 200,000 hours.

Dark Sky Compliant: When selected in 2200K or 3000K, this package is dark sky compliant.

Choice of Finish: APTA fixtures are available in bronze, white, black, or gray.

APTA Features:

Luminaires: 2) APTA 280 LED Sport Lights with Slip Fitter Mounts

Number of Luminaires: 2

Fixture Wattage: 285

Rated Life (L70): 200,000+ Hours

Optics: T4M1

Weights: 27.51 lbs

Fixture Dimensions: 32.99" x 12.99" x 2.76"

Housing: Die-cast aluminum housing with corrosion-resistant polyester powdercoat. Finish meets 1,000-hour salt-spray certification per ASTM B117/ISO 9227:2012. Modular LED design with IP67 rating.

Listings: IP67, UL Listed, CuL Listed, RoHS, ENEC, CB, CB, IK08

Dimming: 0-10v dimming included in all fixtures.

Backlight Shield: to minimize light trespass, included

Voltage Compatibility: 120-277v

Warranty: 5-Year Warranty

Surge Protection: (optional)

- Assembled in the United States High-Strength 20-foot Square Steel Poles

The straight square steel poles used in this package ship complete with a mounting templates, base plates, anchor bolts, and base covers. If your bocce court is located in a high wind areas such as Florida, Georgia, the Carolinas, Louisiana, and the Caribbean, or in other coastal areas, ask us about EPA (Effective Projected Area) wind ratings and wind tolerances. Installations in these areas may require heavier poles or alternate designs. Our engineers can provide data and pole recommendations for any location.

Number of Poles: 2

Pole Height: 20 feet

Shaft Size: 4" x 4" square

Gauge: 11-Gauge

Installation: Anchor-Based

Number of Anchor Bolts: 4 per pole

Base Plate Dimensions: 10.5 x 10.5" x .75" thickness

Base Plate Anchor Bolt Circle: 8"-11" diameter steel

Anchor Bolt Dimensions: M22 x 33"

Tenon: 2 3/8" Tenon

Finish: Baked-on, textured, architectural bronze finish.

Base Cover: Square 10.75" x 10.75" x 4" 2-piece steel base cover

Hand Hole: Cast-iron-reinforced hand hole with cover

Specifications: Conforms to ASTM-A 500 Grade B. Minimum yield strength of 46,000 PSI.

Secure Mounting

This package mounts one fixture on each pole tenon with a secure slip fitter mount. For more information about the fixtures, mounts, or the poles in this package, call 800-468-9925 or send us an email at customerservice@accessfixtures.com.

Access Fixtures 5-Year Warranty

All Access Fixtures sports court packages come with 5-year warranties. If your product is found to have a manufacturing defect, we will replace components, the entire product, or issue a refund. We stand behind the quality of our products. Our customer service team is happy to help with before- or after-sale questions and address your concerns. If you have any questions, give us a call at 800-468-9925. Ready to Order Bocce LED Lighting with 2 Poles 13' x 90' Court - 10 fc 2.81 max/min Court?

You can place your order online here. Or, if you want additional information, give us a call at 800-468-9925. Our team of friendly expert lighting specialists is available to provide what you need to purchase fixtures and illuminate your project with confidence.

Product Attributes

- Dimensions: 32.99 × 12.99 × 2.76 in
- Weight: 27.51 lbs
- Light Source: 3000K - Neutral White, 4000K - Cool White, 5000K - Bright White
- Availability: Typically ships in 6-8 weeks.
- Available Finishes: Bronze
- Ballast/Driver: 700mA Driver
- Color Rendering Index (CRI): 70+, 80+, 90+
- Components: APTA Sports Light, Pole, Pole Base Cover
- Features: Sports Court Package
- Lens: Type 4 Medium
- Light Source Included: LED Array Included
- Light Source Lumens: 69,384
- Listings: IP67, CB, CE, CUL, ENEC, ErP, IK08, LM79, RoHS, SAA, UL
- Mounting: Slip Fitter
- Product Family: APTA
- Rated Life: 200,000+ Hours
- Reflector: Optical Polycarbonate
- Sports Level of Play: Recreation
- Average Footcandles: 10
- Max/Min Uniformity: 2.81
- Number of Courts: 1
- Number of Fixtures: 2
- Number of Poles: 2
- Pole Height: 20 Feet
- Vendor: AF33X, AF72X
- Warranty: 5-Year Limited Warranty

Product Gallery

Bocce LED Lighting

2) APTA 280
2) 20' Poles



APTA 280 LED Slip Fitter Mount

