

CANO 14-26-38-43 Selectable Watt - Selectable Kelvin LED Canopy Light



SKU: AF55XLED3945V45/345K

Product Tags: [Flood Light](#), [LED](#)

Product Page:

<https://www.accessfixtures.com/p/cano-14w-26w-38w-43w-selectable-kelvin-led-canopy-light/>

Product Description

CANO LED Canopy Light Features:

- Die cast aluminum housing - RoHS, CUL, DLC listed - 70+ CRI - Dimmable 0-10v - Selectable 3000K, 4000K, or 5000K Kelvin with easy access switch - Selectable wattage with easy access switch - Polycarbonate anti-glare diffuser lens - 50,000 hour L70 rated life - Bronze powdercoat finish - 140 lumens per watt - -40°C to 40°C Access Fixtures Warranty

Access Fixtures is proud to assemble high quality, long lasting lighting products which are covered by a 5-year warranty. In accordance with our warranty policy, we will offer repair, replacement, or refund for qualifying claims. Please contact our friendly customer service team, located in Worcester, MA, to address any questions or concerns you may have. We can be reached at 800-468-9925 Monday-Friday 9-5 EST or via email at sales@accessfixtures.com. Click [here](#) to view Access Fixtures' [complete warranty policy](#). Need a Photometric Analysis for Your Lighting Project?

A photometric analysis creates a computer simulation of a particular project. No matter what you are lighting, a photometric analysis is an easy way to quantify light levels before purchasing. When a report is generated, a lighting specialist will walk you through it so you know exactly what you will be receiving. Photometrics include average and minimum footcandles, uniformity ratios, spacing, light trespass info, and more. Plus, the cost of the study is refunded back to you when you purchase the fixtures. Call us at 800-468-9925 for more information about ordering a photometric analysis for your project.

Ready to Order or Speak to a Lighting Specialist?

You can place your order online, [here](#). Or, if you want additional information, give us a call at 800-468-9925. Does your project require multiple fixtures? Ask us about quantity discounts. Our team of friendly expert lighting specialists are available to provide what you need to purchase fixtures and illuminate your project with confidence.

Product Attributes

- Dimensions: 10 × 14 × 14 in
- Weight: 10 lbs
- Availability: Typically ships in 2-4 weeks
- Light Source: 3000K - Neutral White, 4000K - Cool White, 5000K - Bright White
- Available Finishes: Bronze

- Ballast/Driver: Electronic 50/60 Hz
- Color Rendering Index (CRI): 70+
- Housing: Die-cast aluminum housing
- Lens: Opalescent polycarbonate diffuser lens
- Light Source Included: LED Array Included
- Light Source Lumens: 5,574
- Listings: RoHS Compliant, CuL Listed, DLC Premium, UL
- Mounting: Surface Mount
- Rated Life: 50,000 Hours
- System Watts Filter: 1w - 19w, 20w - 49w
- Voltage: 120-277v
- Warranty: 5-Year Limited Warranty

Product Gallery



