


CARA 136w LED Area Light, 347-480v, Extreme Life



SKU: AF33XKH45Q*1X136H

Product Tags: [Exterior Lighting](#), [LED](#), [Outdoor Lighting](#)

Product Page:

<https://www.accessfixtures.com/p/cara-136w-led-area-light-347-480v-extreme-life/>

Product Description

The CARA 136w LED Area Light, 347-480v, Extreme Life is a multipurpose area light designed for many applications.

Extreme Life: This area light is L70 rated at 290,000 hours, making it suitable for years and years of use.

Maximum Value: This fixture emits up to 154 lumens per watt for maximum lumen output and comes with Type III, IV, or V optics.

Optics: Multiple mounting options include yoke mount, slipfitter, pole arm mount,

and more for added flexibility.

Features:

- Die cast aluminum housing - CSA, ANSI/UL listed - 80+ CRI - Dimmable 0-10v
- Up to 154 lumens per watt - 290,000 hour L70 rated life - IP66 Rated: protected from total dust ingress; protected from high pressure water jets from any direction - 15 3/4" x 22" x 4" Options:
- Mounting: Choose standard direct mount, slipfitter, pole mount, bracket mount, yoke mount, or wall mount - Photo-cell sensor: Switch automatically turns lights on at dusk and off at dawn. Save energy! - Internal microwave sensor for heights up to 25' - Bronze or custom RAL - 3000K, 4000K or 5000K - Clear, prismatic, or opalescent lens Access Fixtures Warranty

Access Fixtures is proud to assemble high quality, long lasting lighting products which are covered by a 5-year warranty. In accordance with our warranty policy, we will offer repair, replacement, or refund for qualifying claims. Please contact our friendly customer service team, located in Worcester, MA, to address any questions or concerns you may have. We can be reached at 800-468-9925 Monday-Friday 9-5 EST or via email at sales@accessfixtures.com. Click here to view Access Fixtures' [complete warranty policy](#). Need a Photometric Analysis for Your CARA 136w LED Area Light, 347-480v, Extreme Life Project?

A photometric analysis creates a computer simulation of a particular project. No matter what you are lighting, a photometric analysis is an easy way to quantify light levels before purchasing. When a report is generated, a lighting specialist will walk you through it so you know exactly what you will be receiving. Photometrics include average and minimum footcandles, uniformity ratios, spacing, light trespass info, and more. Plus, the cost of the study is refunded back to you when you purchase the fixtures. Call us at 800-468-9925 for more information about ordering a photometric analysis for your project.

Ready to Order CARA 136w LED Area Light, 347-480v, Extreme Life or Speak to a Lighting Specialist?

You can place your order online, here. Or, if you want additional information, give us a call at 800-468-9925. Does your project require multiple fixtures? Ask us about quantity discounts. Our team of friendly expert lighting specialists are available to

provide what you need to purchase fixtures and illuminate your project with confidence.

Product Attributes

- Dimensions: 16 × 22 × 5 in
- Weight: 15 lbs
- Availability: Typically ships in 2-4 weeks
- Available Finishes: Bronze, Custom RAL
- Ballast/Driver: Electronic 50/60 Hz
- Housing: Die cast aluminum housing with architectural bronze powdercoat finish over chromate conversion coating.
- Lens: Opalescent glass lens, Clear prismatic glass lens, Clear tempered glass lens
- Light Source: 4000K - Cool White, 5000K - Bright White
- Light Source Included: LED Array Included
- Light Source Lumens: 20976
- Listings: CSA - listed for wet Locations, IP66, ANSI/UL 1598, 8750
- Mounting: Direct Square Mounting Arm, Easy-hang wall bracket, Slip Fitter, Two-Piece Swivel Bracket, Yoke Mount/U-Bracket Mount
- Rated Life: 290,000 Hours
- System Watts: 136
- Voltage: 347-480v
- Warranty: 5-Year Limited Warranty
- Product Family: CARA
- Mounting Filter: Vertical Tenon 2 3/8"

Product Gallery





Figure 7. IESNA Outdoor lighting distribution types I - V.





YOKE MOUNT



BRACKET MOUNT



SLIPFITTER MOUNT



POLE ARM MOUNT



WALL MOUNT