


Outdoor Riding Arena LED Lighting 65'x100', 6 DOHO 200s, 7.23fc

65' x 100' Riding Arena
6 17' Poles - 6 DOHO 200s
7.23 fc - 2.94 Max/Min



SKU: ARENA65X100AF55XLED23200U240/5K(6)

Product Tags: [Arena](#)

Product Page:

<https://www.accessfixtures.com/p/diy-outdoor-riding-arena-led-lighting-65x100-avg-17fc-poles-not-included/>

Product Description

LED Lighting Package for 65' x 100' Outdoor Riding Arena - NEW and IMPROVED - This LED Lighting Package for 65' x 100' Outdoor Riding Arena includes 6 [DOHO 200 LED light fixtures](#) ready to mount at 17' high on 6 of your poles. The package produces an average of 7.23 footcandles (fc) and an appropriate 2.94 Max/Min ratio. This package does NOT include poles. It designed to mount on wooden poles using the included bracket mount.for cost-effective illumination to

get you riding in the evening at a minimal cost. The 50,000 hours L70 rating translates to virtually maintenance-free usage. Minimized energy and low to no maintenance results in the perfect mixture of performance, efficiency, and sustainability.

THIS PACKAGE IS UPGRADED WITH [NEW DOHO 200s](#) FOR 19% MORE LUMENS, DIFFUSER LENSES, AND 3000K - 4000K - 5000K SELECTABLE KELVIN

*Poles are NOT included. Recommended mounting height is 17' ft.

Precision Design for Optimal Light Levels

This Outdoor riding arena package is designed to illuminate a 65 'x 100' arena and comes with 6 matching [DOHO 200 luminaires](#). This layout provides an average of 7.23 footcandles (fc) and a max/min (uniformity) ratio of 2.94, which demonstrates the light is sufficiently even for sports such as horseback riding.

Reliable Energy-Efficient LED Outdoor Arena Fixture

Outdoor Riding Arena LED Lighting Package - 65' x 100', Average 7.23fc, 2.94 Max/Min package.

includes weatherproof IP66 Rated, energy-efficient, DOHO 200 LED Flood Lights that emits a total of 167,202 lumens. Each DOHO 200 uses 201 system watts for a total of 1206 watts for all 6 LED light fixtures. DOHO 200s utilize directional LEDs that send light forward, where you need it. This package reduces energy cost by at least 50% when compared to old-fashioned pulse start-metal halide.

Luminaires: DOHO 200 flood lights with Yoke/U-bracket mount

Number of Luminaires: 6

Total Light Source Lumens: 167,202

Fixture Wattage: 201

Total Wattage: 1206

Rated Life (L70): 50,000+ Hours

Kelvin Temperature: 3000K - 4000K - 5000K Selectable Kelvin

Color Rendering Index: 70+

Housing: Die-cast aluminum housing with corrosion-resistant polyester powdercoat; Finish meets 1,000-hour salt-spray certification

Listings: IP66, UL Listed, CuL Listed, RoHS, ENEC, CB, IK08

Weight: 20 lbs. ea.

Fixture Dimension: 17" w × 11.22" h × 8" d

Warranty: 5-Year Warranty

Assembled: United States

*Poles NOT included. Recommended mounting height of 17' ft. Please refer to the DIY installation guide.

Prompt Delivery of Your LED Lighting Package for a 65' x 100' Outdoor Riding Arena

This outdoor arena LED Lighting package is stocked so it typically ships in 2 weeks or less.

Access Fixtures Arena Lighting Provides Exactly What You Need

Access Fixtures lighting engineers and lighting specialists use the most advanced photometric software to ensure you get the perfect arena lighting. As the premier expert in arena lighting, Access Fixtures has designed arena lighting for dressage, outdoor & indoor arenas, polo arenas, as well as home arenas across the US and the Caribbean. Few arenas have identical needs. Some regions have local ordinances regulating light trespass, glare, and light pollution. Packages for coastal regions benefit from custom adaptations to compensate for wind, salt spray, and other local weather conditions. If you have any questions, our knowledgeable high performance lighting specialists in are available to walk you through your arena LED lighting project. Call us today at **800-468-9925** to discuss your project. You can also email us at customerservice@accessfixtures.com [or contact us by clicking here.](#) Access Fixtures Warranty

Access Fixtures is proud to assemble high quality, long lasting lighting products which are covered by a 5-year warranty. In accordance with our warranty policy, we will offer repair, replacement, or refund for qualifying claims. Please contact our friendly customer service team, located in Worcester, MA, to address any questions or concerns you may have. We can be reached at 800-468-9925 Monday-Friday 9-5 EST or via email at sales@accessfixtures.com. Click here to view Access Fixtures'

[complete warranty policy](#). Ready to Order Your LED Lighting Package for a 65' x 100' Outdoor Riding Arena?

You can place your order online here. Or, if you want additional information, give us a call at **800-468-9925**. Our team of friendly, expert high performance lighting specialists are available to provide what you need to purchase fixtures and illuminate your project with confidence.

Product Attributes

- Dimensions: 25 × 25 × 17 in
- Weight: 120 lbs
- Application: Arena Lighting
- Availability: Typically ships in 7-10 business days
- Available Finishes: Bronze
- Average Footcandles: 7.23
- Ballast/Driver: Electronic 50/60 Hz
- Color Rendering Index (CRI): 70+
- Components: Flood Lights
- Housing: Die cast aluminum housing
- Indoor/Outdoor: Outdoor
- Light Source Included: LED Array Included
- Listings: IP66, CB, CuL Listed, ENEC, IK08, RoHS, UL Listed
- Max/Min Uniformity: 2.94
- Mounting: Yoke Mount/U-Bracket Mount
- Number of Fixtures: 6
- Number of Poles: Not Included, 6
- Pole Height: Not Included, 17 Feet
- Product Family: DOHO
- Rated Life: 50,000+ Hours
- Warranty: 5-Year Limited Warranty

- Light Source: Selectable Kelvin - 3000K - 4000K - 5000K, 5000K - Bright White
- Mounting Filter: Bracket Mount
- Voltage: 120-277v

Product Gallery





