


DIY Outdoor Riding Arena LED Lighting 65'x200', Avg 8.7fc, Poles Not Included



SKU: ARENA65X100AF55XLED23200U240/5K(10)

Product Tags: [Arena](#), [LED](#), [Outdoor Lighting](#)

Product Page:

<https://www.accessfixtures.com/p/diy-outdoor-riding-arena-led-lighting-65x200-avg-17fc-poles-not-included/>

Product Description

This Access Fixtures DIY (Do it Yourself!) Outdoor Riding Arena is equipped with LED lighting covering a 65'x200' area and features an average of 8.7fc with 3.8 Max/Min ratio. This package does NOT include poles. It is a simple and cost-effective illumination system to get you riding immediately, using 10 LED high performance fixtures. The 50,000 hours L70 rating translates to virtually

maintenance-free usage. Minimized energy and low to no maintenance results in the perfect mixture of performance, efficiency, and sustainability.

*Poles NOT included. Recommended mounting height of 17' ft.

Precision Design for Optimal Light Levels

This Outdoor riding arena package is designed to illuminate a 65'x200' arena and comes with 10 matching DOHU 194 luminaires. This layout provides 8.7 average footcandles and a max/min (uniformity) ratio of 3.8, which assures a brightly illuminated arena with no shadows or glare.

Reliable Energy-Efficient LED Outdoor Arena Fixture

This DIY Outdoor Riding Arena LED Lighting 65'x200', Avg 8.7fc, 3.8 Max/Min package includes weatherproof, energy-efficient, DOHU 194w LED Flood Light, is IP66 rated, emits a total of 234,650 lumens - while using just 194 watts per fixture. The DOHU utilizes directional LEDs that send light forward, where you need it. This package reduces energy cost by at least 50% when compared to old-fashioned incandescent or pulse start-metal halide. View [Horse Arena & Equestrian Arena Lighting](#) for more information.

Luminaires: DOHU 194 flood light with Yoke/U-bracket mount

Number of Luminaires: 10

Total Light Source Lumens: 234,650

Fixture Wattage: 194

Total Wattage: 1940

Rated Life (L70): 50,000+ Hours

Kelvin Temperature: 5000K

Color Rendering Index: 70+

Housing: Die-cast aluminum housing with corrosion-resistant polyester powdercoat; Finish meets 1,000-hour salt-spray certification

Listings: IP66, UL Listed, CuL Listed, RoHS, ENEC, CB, IK08

Weight: 18.72 lbs. ea.

Fixture Dimension: 16.06" × 8.39" × 4.02" in.

Warranty: 5-Year Warranty

Assembled: United States

*Poles NOT included. Recommended mounting height of 17' ft. Please refer to the DIY installation guide.

Prompt Delivery of Your Arena Lighting Package

Arena LED Lighting packages typically ship in 2-4 weeks.

Access Fixtures Arena Lighting Provides Exactly What You Need

Access Fixtures high performance lighting specialists use the most advanced photometric software to ensure you get the perfect arena lighting. As the premier expert in arena lighting, Access Fixtures has designed arena lighting for dressage, outdoor & indoor arenas, polo arenas, as well as home arenas across the US and the Caribbean. Few arenas have identical needs. Some regions have local ordinances regulating light trespass, glare, and light pollution. Packages for coastal regions benefit from custom adaptations to compensate for wind, salt spray, and other local weather conditions. If you have any questions, our knowledgeable high performance lighting specialists in Worcester, MA are available to walk you through your arena LED lighting project. Call us today at **800-468-9925** to discuss your project. You can also email us at **customerservice@accessfixtures.com**.

Access Fixtures 5-Year Warranty

All Access Fixtures packages come with a 5-year warranty. If your product is found to have a manufacturing defect - we will replace components, the entire product, or issue a refund. We stand behind the quality of our products. Our customer service team is happy to help with all your questions or address any concerns. If you have any questions, please give us a call at **800-468-9925**.

Ready to Order DIY Outdoor Riding Arena LED Lighting 65'x100', Avg 17fc, Poles Not Included?

You can place your order online here. Or, if you want additional information, give us a call at **800-468-9925**. Our team of friendly, expert high performance lighting specialists are available to provide what you need to purchase fixtures and illuminate your project with confidence.

Product Attributes

- Dimensions: 65 × 100 × 17 in
- Weight: 100 lbs
- Application: Arena Lighting
- Availability: Typically ships in 2-4 weeks
- Available Finishes: Bronze
- Average Footcandles: 8.7
- Ballast/Driver: Electronic 50/60 Hz
- Color Rendering Index (CRI): 70+
- Components: Flood Lights
- Housing: Die cast aluminum housing
- Indoor/Outdoor: Outdoor
- Light Source Included: LED Array Included
- Listings: IP66, CB, CuL Listed, ENEC, IK08, RoHS, UL Listed
- Max/Min Uniformity: 3.80
- Mounting: Yoke Mount/U-Bracket Mount
- Number of Fixtures: 10
- Number of Poles: Not Included, 10
- Pole Height: Not Included, 17 Feet
- Product Family: DOHU
- Rated Life: 50,000+ Hours
- Warranty: 5-Year Limited Warranty
- Light Source: 5000K - Bright White

Product Gallery

