

DOHO 30 Selectable Kelvin 3000K/4000K/5000K LED Flood Light



SKU: AF55XLED-2630

Product Tags: [Flood Light](#), [LED](#)

Product Page:

<https://www.accessfixtures.com/p/doho-30-selectable-kelvin-flood-light-120-277v/>

Product Description

DOHO 30 Selectable Kelvin 3000K/4000K/5000K LED Flood Light

Features:

- Die cast aluminum housing - RoHS, CUL, DLC listed - 70+ CRI - Dimmable 0-10v - 3000K, 4000K, or 5000K Kelvin control - Easy access to Kelvin control switch - Polycarbonate diffuser lens - 50,000 hour L70 rated life - Bronze powdercoat finish - 27 system watts - 3677 lumens - 136 lumens per watt - -40°C to 40°C DOHO 30 Selectable Kelvin 3000K/4000K/5000K LED

Flood Light Options:

- Knuckle mount or yoke mount - Photocell 120-277v Access Fixtures

Warranty

Access Fixtures is proud to assemble high quality, long lasting lighting products which are covered by a 5-year warranty. In accordance with our warranty policy, we will offer repair, replacement, or refund for qualifying claims. Please contact our friendly customer service team, located in Worcester, MA, to address any questions or concerns you may have. We can be reached at 800-468-9925 Monday-Friday 9-5 EST or via email at sales@accessfixtures.com. Click here to view Access Fixtures' [complete warranty policy](#). Need a Photometric Analysis for Your DOHO 30 Selectable Kelvin Flood Light, 120-277v Project?

A photometric analysis creates a computer simulation of a particular project. No matter what you are lighting, a photometric analysis is an easy way to quantify light levels before purchasing. When a report is generated, a lighting specialist will walk you through it so you know exactly what you will be receiving. Photometrics include average and minimum footcandles, uniformity ratios, spacing, light trespass info, and more. Plus, the cost of the study is refunded back to you when you purchase the fixtures. Call us at 800-468-9925 for more information about ordering a photometric analysis for your project.

Ready to Order or Speak to a Lighting Specialist?

You can place your order online, here. Or, if you want additional information, give us a call at 800-468-9925. Does your project require multiple fixtures? Ask us about quantity discounts. Our team of friendly expert lighting specialists are available to provide what you need to purchase fixtures and illuminate your project with confidence.

Product Attributes

- Dimensions: 7 × 7 × 7 in
- Weight: 10 lbs
- Availability: Typically ships in 2-4 weeks

- Light Source: 3000 Kelvin LED Light Fixtures, 4000K - Cool White, 5000K - Bright White
- Available Finishes: Bronze
- Ballast/Driver: Electronic 50/60 Hz
- Color Rendering Index (CRI): 70+
- Housing: Die-cast aluminum housing
- Lens: Opalescent polycarbonate diffuser lens
- Light Source Included: LED Array Included
- Light Source Lumens: 3667
- Listings: RoHS Compliant, Wet locations, CuL Listed, DLC Premium, UL
- Mounting: Knuckle Mount, Yoke Mount/U-Bracket Mount
- Rated Life: 50,000 Hours
- System Watts Filter: 20w - 49w
- Voltage: 120v, 208v, 240v, 277v
- Warranty: 5-Year Limited Warranty

Product Gallery







