


Football Field Lighting, 360' x 160', 4 70' Poles, 51fc, 1.74 max/min



SKU: AF77XXST-RSL1200N(44)

Product Tags: [football field lighting](#)

Product Page:

<https://www.accessfixtures.com/p/football-field-lighting-360-x-160-4-70-poles-51fc-1-74-max-min/>

Product Description

This Football Field Lighting, 360' x 160', 4 70' Poles, 51fc, 1.74 max/min utilizes 44 STAJ 1200 fixtures to light a standard size NCAA level football field with under 5000 spectators.

Lightweight and Durable: The STAJ boasts a small overall size, light weight and open architecture for low EPA that facilitates replacement of HID using most

existing poles.

Maximum Light Output: High lumens per watt and premium optics design provide maximum light output with minimal glare and overall superior performance.

Precision Optics: This football field lighting package is available with 15° and 45° precision optics and an [optional laser](#) to help you position the light exactly where it's needed.

Features:

Luminaires: STAJ 1200

Number of Luminaires: 44

Number of Poles: 4

Number of Masts: 4

Pole Height: 70'

Max/Min Ratio: 1.74

Average Footcandles: 51

Total Light Source Lumens: 6,336,000

Fixture Wattage: 1200w

Lens: Clear polycarbonate

Rated Life (L70): 50,000 hours

Weight: 83 lbs each

Kelvin: 5000K

Housing: Die-cast aluminum housing with corrosion resistant black powdercoat

Listings: IP65 rated - IP rating system

Voltage Compatibility: 120-277v

Mounting: Bracket mount

Warranty: 5-Year Warranty

This package includes (4) 70 foot direct burial fiberglass poles that are recommended by the photometric analysis as well as four masts.

Access Fixtures Football Field Lighting, 360' x 160', 4 70' Poles, 51fc, 1.74 max/min Provides Exactly What You Need

Access Fixtures high performance lighting specialists use the most advanced photometric software to ensure you get the perfect football field lighting. Few football fields have identical needs. If you have any questions, our knowledgeable high performance lighting specialists in Worcester, MA are available to walk you through your football field LED lighting project. Call us today at **800-468-9925** to discuss your project. You can also email us at **customerservice@accessfixtures.com**.

Access Fixtures Warranty

Access Fixtures is proud to assemble high quality, long lasting lighting products which are covered by a 5-year warranty. In accordance with our warranty policy, we will offer repair, replacement, or refund for qualifying claims. Please contact our friendly customer service team, located in Worcester, MA, to address any questions or concerns you may have. We can be reached at 800-468-9925 Monday-Friday 9-5 EST or via email at sales@accessfixtures.com. Click here to view Access Fixtures' [complete warranty policy](#). Ready to Order Football Field Lighting, 360' x 160', 4 70' Poles, 51fc, 1.74 max/min?

You can place your order online here. Or, if you want additional information, give us a call at **800-468-9925**. Our team of friendly, expert high performance lighting specialists are available to provide what you need to purchase fixtures and illuminate your project with confidence.

Product Attributes

- Dimensions: 10 × 10 × 10 in
- Weight: 100 lbs
- Application: iFootball Stadium Lights
- Availability: Typically ships in 2-4 weeks
- Available Finishes: Black
- Ballast/Driver: Electronic 50/60 Hz

- Color Rendering Index (CRI): 80+
- Light Source: 5000K - Bright White
- Housing: Die cast aluminum housing
- Lens: Clear polycarbonate lens
- Light Source Included: LED Array Included
- Listings: CSA - listed for wet Locations, IP65 sealed LED compartment, ANSI/UL 1598, 8750
- Mounting: Yoke Mount/U-Bracket Mount
- Number of Fixtures: 44
- Number of Poles: 4
- Pole Height: 70
- Product Family: STAJ
- Rated Life: 50,000 Hours
- Sports Level of Play: NCAA/Televised
- Max/Min Uniformity: 1.74
- Vendor: AF82X, AF77X
- Voltage Filter: 120v, 208v, 240v, 277v
- Warranty: 5-Year Limited Warranty
- Voltage: 120-277v
- Light Source Lumens: 5,816,032

Product Gallery





Laser Aiming Device for STAJ

