

## GAYA 2'x4' 20w 30w 40w 4000K LED Flat Panel



**SKU:** AF87XP7-40WDS4027

**Product Tags:** [LED Flat Panel](#)

**Product Page:**

<https://www.accessfixtures.com/p/gaya-2x4-20w-30w-40w-4000k-led-flat-panel/>

### Product Description

GAYA replaces expensive fluorescents in a convenient troffer-mount design with a variety of built-in options.

**Selectable Wattage:** This fixture is available with a selectable wattage of 20w, 30w, or 40w.

**High Lumen Output:** GAYA emits 140 lumens per watt for a lumen output of up to 5,600 lumens.

**Flicker-Free:** High performance LED technology prevents annoying flicker that is

often present in other kinds of lighting.

### GAYA 2'x4' 20w 30w 40w 4000K LED Flat Panel Features:

- Built in selectable wattage - 20w, 30w, or 40w - Backlit panel - 120-277v - 0-10v dimmable - Frosted polycarbonate diffuser lens - Recessed or surface mount - ETL, UL, cUL, and DLC listed - L70 @ 50,000 hours - >80 CRI - 140 lumens per watt - -4°F to 122°F - 5.6 lbs - 24" x 48" Access Fixtures

### Warranty

Access Fixtures is proud to assemble high quality, long lasting lighting products which are covered by a 5-year warranty. In accordance with our warranty policy, we will offer repair, replacement, or refund for qualifying claims. Please contact our friendly customer service team, located in Worcester, MA, to address any questions or concerns you may have. We can be reached at 800-468-9925 Monday-Friday 9-5 EST or via email at [sales@accessfixtures.com](mailto:sales@accessfixtures.com). Click here to view Access Fixtures' [complete warranty policy](#). **Need a Photometric Analysis for Your Project?**

A photometric analysis creates a computer simulation of a particular project. No matter what you are lighting, a photometric analysis is an easy way to quantify light levels before purchase. When a report is generated, a lighting specialist will walk you through it, page by page, so you know exactly what you will be receiving. Photometrics include average footcandles, minimum foot candles, uniformity ratios, fixture spacing, light trespass info, and more, plus, the cost of the study is refunded back to you when you purchase the fixture. Call us at 800-468-9925 for more information about ordering a photometric analysis for your project.

**Ready to Order GAYA 2'x4' 20w 30w 40w 4000K LED Flat Panel or Speak to a Lighting Specialist?**

You can place your order online, here. Or, if you want additional information, give us a call at **800-468-9925**. Does your project require multiple fixtures? Ask us about quantity discounts. Our team of friendly expert lighting specialists is available to provide what you need to purchase fixtures and illuminate your project with confidence.

## Product Attributes

- Dimensions: 25 &times; 48 &times; 5 in
- Weight: 25 lbs
- Application: Troffers & Panels
- Light Source: 4000K - Cool White
- Availability: Typically ships in 5-7 business days
- Available Finishes: White
- Ballast/Driver: LED Driver
- Color Rendering Index (CRI): 80+
- Features: Dimmable, L70 @ 50,000 Hours, UL Listed for Damp Locations
- Housing: Aluminum, Frosted Polycarbonate
- Light Source Included: LED Array Included
- Light Source Lumens: 5600, 2800, 4200
- Listings: CUL, DLC Premium, ETL Listed, UL Listed for damp locations
- Mounting: Ceiling Grid, Surface Mount
- Product Family: GAYA
- Rated Life: 50,000 Hours
- System Watts Filter: 20w - 49w
- System Watts: 30, 20, 40
- Voltage: 120-277v
- Warranty: 5-Year Limited Warranty

## Product Gallery

