

HILO 120w LED Frosted Lens High Bay, 120-277v



SKU: AF53XYGCL540120

Product Page:

<https://www.accessfixtures.com/p/hilo-120w-led-frosted-lens-high-bay-120-277v/>

Product Description

HILO 120w LED Frosted Lens High Bay, 120-277v is a great choice when cost and quality of light are equally important. The heavy-duty aluminum housing makes them a standout solution for damp location and wet location applications such as barns, indoor arenas, and industrial facilities that require high performance optics and resilience.

Frosted Lens: The frosted glass lens is certainly easier on the eyes, has a softer edge, and also offers a more uniform light output when multiple LEDs are used.

Value: The HILO is budget friendly and energy efficient, while featuring high

performance low glare custom optics.

IP66: The IP66 rating ensures the fixture is protected against dust and high pressure water jets from any direction.

Features:

120w integrated LED

13,200 lumens

120-277v

Die-cast aluminum housing, corrosion and shock resistant

Black finish

Frosted glass

IP66 rated

Mount with easy-install options including a hook or chain mount

5 year warranty

Options:

Choice of 4000K or 5000K

Optional dimming 0-10v

Access Fixtures 5-Year Warranty

All Access Fixtures products come with a 5-year warranty. If your product is found to have a manufacturing defect, we will replace components, the entire product, or issue a refund. We stand behind the quality of our products. Our customer service team, located in Worcester, MA, is happy to address any questions, comments, or concerns you may have. Please give us a call at 800-468-9925. Please view Access Fixtures return policy.

Need a Photometric Analysis for Your HILO 120w LED Frosted Lens High Bay, 120-277v Project?

A photometric analysis creates a computer simulation of a particular project. No matter what you are lighting, a photometric analysis is an easy way to quantify light levels before purchasing. When a report is generated, a lighting specialist will walk you through it so you know exactly what you will be receiving. Photometrics include average and minimum footcandles, uniformity ratios, spacing, light trespass info, and more. Plus, the cost of the study is refunded back to you when you

purchase the fixtures. Call us at 800-468-9925 for more information about ordering a photometric analysis for your project.

Ready to Order HILO 120w LED Frosted Lens High Bay, 120-277v or Speak to a Lighting Specialist?

You can place your order online, here. Or, if you want additional information, give us a call at 800-468-9925. Does your project require multiple fixtures? Ask us about quantity discounts. Our team of friendly expert lighting specialists are available to provide what you need to purchase fixtures and illuminate your project with confidence.

Product Attributes

- Dimensions: 15 × 15 × 8 in
- Weight: 15 lbs
- Availability: Typically ships in 6-8 weeks.
- Available Finishes: Black
- Color Rendering Index (CRI): 70+
- Color Temperature (K): 4000K, 5000K
- Housing: Corrosion & shock resistant, Die cast aluminum housing
- Light Source Included: LED Array Included
- LED Type: LED
- Lens: Frosted glass
- Light Source: White Light Spectrum
- Listings: IP66
- Light Source Lumens: 13200
- Mounting: Chain Mount, Hook Mount
- Product Family: HILO
- Rated Life: 50,000 Hours
- System Watts: 120
- Voltage: 120-277v
- Warranty: 5-Year Warranty

Product Gallery

