

LOPA 24w Stainless Steel Bollard, Opal, EXTREME-LIFE



SKU: AF33XBORWQF1X22ULSS

Product Tags: [LED](#)

Product Page:

<https://www.accessfixtures.com/p/lopa-24w-led-opal-diffuser-stainless-steel-bollard-light-120-277v/>

Product Description

LOPA 24w Stainless Steel Bollard Light with Opal Diffuser Lens Features:

This bollard light includes:

- Round dome top bollard light with Opal diffuser shatter resistant polycarbonate lens - EXTREME-LIFE rated L70 @ 147,000 hours - Rugged stainless steel housing - 120-277v compatible - Up to 2,447 lumens - 42" x 7" - 32 lbs - 5 year Access Fixtures warranty LOPA 24w Stainless Steel Bollard

Light with Opal Diffuser Lens Options:

- Choice of shipping anchor bolts ahead of time or with bollard light - GCFI Outlet - Surge protection - Choice of 3000K, 4000K, or 5000K - Shielding options

LOPA 24w Stainless Steel Bollard Light with Opal Diffuser Lens

Mounting:

LOPA 24w LED Opal Diffuser Stainless Steel Bollard Light, 120-277v includes all hardware required for mounting:

- 8' steel anchor bolts - Steel mounting templates - Extruded aluminum base plate - Vandal-resistant screws - Lock washers

For more information on general bollard light mounting, please see the installation diagram above or consult our [bollard light installation guide here](#).

Access Fixtures Warranty

Access Fixtures is proud to assemble high quality, long lasting lighting products which are covered by a 5-year warranty. In accordance with our warranty policy, we will offer repair, replacement, or refund for qualifying claims. Please contact our friendly customer service team, located in Worcester, MA, to address any questions or concerns you may have. We can be reached at 800-468-9925 Monday-Friday 9-5 EST or via email at sales@accessfixtures.com. Click here to view Access Fixtures' [complete warranty policy](#). Need a Photometric Analysis for Your Stainless Steel Bollard Light Project?

A photometric analysis creates a computer simulation of a particular project. No matter what you are lighting, a photometric analysis is an easy way to quantify light levels before purchasing. When a report is generated, a lighting specialist will walk you through it so you know exactly what you will be receiving. Photometrics include average and minimum footcandles, uniformity ratios, spacing, light trespass info, and more. Plus, the cost of the study is refunded back to you when you purchase the fixtures. Call us at **800-468-9925** for more information about ordering a photometric analysis for your project.

Ready to Order or Speak to a Lighting Specialist?



You can place your order online or if you want additional information, give us a call at **800-468-9925**. Our team of friendly, expert high performance lighting

specialists are available to provide what you need to purchase fixtures and illuminate your project with confidence.

Product Attributes

- Dimensions: 7 × 7 × 42.25 in
- Weight: 32 lbs
- Availability: Typically ships in 7-10 business days
- Light Source: 3000 Kelvin LED Light Fixtures, 4000K - Cool White, 5000K - Bright White
- Available Finishes: Stainless Steel
- Color Rendering Index (CRI): 80+
- Housing: Stainless steel housing with flush mounting base & vandal-resistant screws
- Light Source Included: LED Array Included
- Lens: Opalescent polycarbonate diffuser lens
- Light Source Lumens: 2,447
- Listings: CSA - listed for wet Locations, IP65
- Mounting: Mounting kit with anchor bolts Included.
- Reflector: Cone Reflector
- Rated Life: 147,000 Hours
- Size: 7"
- Style: Cone Reflector, Round Dome Top
- System Watts: 24
- Voltage: 120v, 208v, 240v, 277v
- Warranty: 5-Year Limited Warranty

Product Gallery





**BUY AMERICAN
ACT COMPLIANT**