

LUVO Medium Socket Louvered Round Flat Top Bollard Light, 120-277v



SKU: AF33XBOFL3

Product Tags: [Medium Socket Product Tag](#)

Product Page:

<https://www.accessfixtures.com/p/medium-socket-round-flat-top-bollards-with-louvers-120v/>

Product Description

The LUVO Medium Socket Louvered Round Flat Top Bollard Light, 120-277v is a popular bollard light fixture with a wide range of features and options.

Medium Socket: This bollard light fixture accepts a wide range of A19 and A21 lamps, giving you choice of Kelvin, wattage, and more.

Louvered Optics: This bollard light reflects light downward, reducing glare for

pedestrians and drivers.

Durable Construction: This bollard light features a durable extruded aluminum housing, polycarbonate lens, and CSA listed for wet locations.

Features

This bollard light includes:

- Round flat top bollard light with louvers - Corrosion-resistant, extruded-aluminum housing - 120-277v compatible - Accepts most A19 and A21 lamps - 42" x 7" - 22 lbs - 5 year Access Fixtures warranty Options
- Choice of Finish: Bronze, Black, or custom RAL colors available upon request - Standard (42") or custom height down to 20" - Choice of shipping anchor bolts ahead of time or with bollard light Mounting

LUVVO Medium Socket Louvered Round Flat Top Bollard Light, 120-277v includes all hardware required for mounting:

- 8' steel anchor bolts - Steel mounting templates - Extruded aluminum base plate - Vandal-resistant screws - Lock washers

For more information on general bollard light mounting, please see the installation diagram above or consult our [bollard light installation guide here](#).

Access Fixtures Warranty

Access Fixtures is proud to assemble high quality, long lasting lighting products which are covered by a 5-year warranty. In accordance with our warranty policy, we will offer repair, replacement, or refund for qualifying claims. Please contact our friendly customer service team, located in Worcester, MA, to address any questions or concerns you may have. We can be reached at 800-468-9925 Monday-Friday 9-5 EST or via email at sales@accessfixtures.com. Click here to view Access Fixtures' [complete warranty policy](#). Need a Photometric Analysis for Your LUVVO Medium Socket

Louvered Round Flat Top Bollard Light, 120-277v Project?

A photometric analysis creates a computer simulation of a particular project. No matter what you are lighting, a photometric analysis is an easy way to quantify light levels before purchasing. When a report is generated, a lighting specialist will walk you through it so you know exactly what you will be receiving. Photometrics

include average and minimum footcandles, uniformity ratios, spacing, light trespass info, and more. Plus, the cost of the study is refunded back to you when you purchase the fixtures. Call us at **800-468-9925** for more information about ordering a photometric analysis for your project.

Ready to Order LUVVO Medium Socket Louvered Round Flat Top Bollard Light, 120-277v or Speak to a Lighting Specialist?

You can place your order online or if you want additional information, give us a call at **800-468-9925**. Our team of friendly, expert high performance lighting specialists are available to provide what you need to purchase fixtures and illuminate your project with confidence.

Product Attributes

- Dimensions: 7 × 7 × 41.625 in
- Weight: 22 lbs
- Availability: Typically ships in 7-10 business days
- Available Finishes: Black, Bronze, Custom RAL
- Housing: Extruded aluminum housing with flush-mount base and vandal-resistant screws. Internal driver tray.
- Lens: Clear polycarbonate lens
- Light Source: Medium Socket
- Light Source Included: Lamp is NOT included.
- Listings: CSA - listed for wet Locations
- Mounting: Mounting kit with anchor bolts Included.
- Reflector: Louvers
- Size: 7"
- Style: Louvers, Round Flat Top
- Voltage: 120-277v
- Light Source Lumens: 374
- Warranty: 5-Year Limited Warranty

Product Gallery



Dimensions

Diameter (D)	7" (178mm)
Height (A)	41 ⁵ / ₈ " (1,057mm)





**BUY AMERICAN
ACT COMPLIANT**