

OTAM 120 3-ft Linear LED High Bay, 80+ CRI, 16,686 Lumens 120-277v



SKU: AF33XHBL312X105K

Product Tags: [High Bay](#)

Product Page:

<https://www.accessfixtures.com/p/otam-120w-3-ft-linear-led-high-bay-80-cri-16686-lumens-120-277v/>

Product Description

OTAM 120 3-ft Linear LED High Bay is a low profile high bay with wide optical distribution that replaces HID lighting systems from 250 to 1000 watts. Motion sensor and emergency battery backup available for an additional charge.

Applications include commercial indoor projects such as indoor arenas, warehouses, schools, and more. Suitable for 10 to 45 foot mounting heights based

on light level and uniformity requirements.

Lens: This linear LED high bay is built using LEDs that have polycarbonate lenses and are potted with high temperature silicone epoxy.

High CRI: The OTAM 120 linear LED high bay has a CRI of 80+, which allows for exceptional visibility and renders colors true-to-life.

Value: The OTAK 120 3-ft linear LED high bay boasts a whopping 167 lumens per dollar.

Features:

- 120w LED - 16,686 total lumens - 71,000 hr L70 rated life - CSA: Listed for dry locations, ANSI/UL 1598, 8750; - IP54 Rated - Low profile design - 0-10v dimming - Internal surge protection - Mount with included V-hangers. Includes a 3' 3-wire cord with leads - 36.25 x 12.25 x 3.5 inches Options:
- Emergency battery backup - Motion sensor **Access Fixtures Warranty**

Access Fixtures is proud to assemble high quality, long lasting lighting products which are covered by a 5-year warranty. In accordance with our warranty policy, we will offer repair, replacement, or refund for qualifying claims. Please contact our friendly customer service team, located in Worcester, MA, to address any questions or concerns you may have. We can be reached at 800-468-9925 Monday-Friday 9-5 EST or via email at sales@accessfixtures.com. Click [here](#) to view Access Fixtures' [complete warranty policy](#). Need a Photometric Analysis for Your OTAM 120 3-ft Linear LED High Bay Project?

A photometric analysis creates a computer simulation of a particular project. No matter what you are lighting, a photometric analysis is an easy way to quantify light levels before purchasing. When a report is generated, a lighting specialist will walk you through it so you know exactly what you will be receiving. Photometrics include average and minimum footcandles, uniformity ratios, spacing, light trespass info, and more. Plus, the cost of the study is refunded back to you when you purchase the fixtures. Call us at 800-468-9925 for more information about ordering a photometric analysis for your project.

Ready to Order OTAM 120 3-ft Linear LED High Bay or Speak to a Lighting Specialist?


You can place your order online, [here](#). Or, if you want additional information, give us a call at 800-468-9925. Does your project require multiple fixtures? Ask us about

quantity discounts. Our team of friendly expert lighting specialists are available to provide what you need to purchase fixtures and illuminate your project with confidence.


Product Attributes

- Dimensions: 40 × 15 × 5 in
- Weight: 49 lbs
- Product Weight: 16 lbs
- Light Source: 5000K - Bright White
- Availability: Typically ships in 7-10 business days
- Available Finishes: Gray
- Ballast/Driver: Electronic 50/60 Hz
- Color Rendering Index (CRI): 80+
- Housing: Extruded aluminum housing
- Lens: Clear polycarbonate lens
- Light Source Included: LED Array Included
- Light Source Lumens: 16,686
- Listings: ANSI/UL 1598, 8750, DLC Listed, IP54, Rated for Damp Locations, UL
- Mounting: V-Hook
- Product Family: OTAM
- Rated Life: 71,000 Hours
- System Watts: 120
- Voltage: 120-277v
- Warranty: 5-Year Limited Warranty


Product Gallery



Dimensions	
Height (A)	3½" (413mm)
Length (D)	36¼" (922mm)
Widths (C)	
120w	12¼" (313mm)



Photometric Data



HBLC312X10U5K

