

OTOK 81w Linear LED High Bay, 80 CRI, 10,846 Lumens, 120-277v



SKU: AF66XT1-IHBLED2/B/81

Product Page:

<https://www.accessfixtures.com/p/otok-81w-linear-led-high-bay-80-cri-10846-lumens-120-277v/>

Product Description

The Otok 81w Linear LED High Bay, 80 CRI, 10,846 Lumens, 120-277v is a commercial and industrial high bay fixture.

Extreme Life: This fixture is L70 rated at over 200,000 hours for years of maintenance free life.

No Glare: A polycarbonate diffuser eliminates glare and maximizes light distribution.

Superior Color Rendering: This fixture has a color rendering index of 80+ for maximum visibility.

Features:

- 10,846 lumens - 130 lumens per watt - -20°C to 50°C - 0-10v dimming - Steel housing - L70 rated at 200,000 hours - UL Listed, CUL Listed, DLC listed - White powdercoat finish - 80+ CRI - 120-277v - 25.5" x 18.1" x 2.1" - 5 year warranty

Options:

- 4000K or 5000K - Occupancy sensor - on/off - Occupancy sensor - bi-level - Daylight harvesting occupancy sensor Access Fixtures Warranty

Access Fixtures is proud to assemble high quality, long lasting lighting products which are covered by a 5-year warranty. In accordance with our warranty policy, we will offer repair, replacement, or refund for qualifying claims. Please contact our friendly customer service team, located in Worcester, MA, to address any questions or concerns you may have. We can be reached at 800-468-9925 Monday-Friday 9-5 EST or via email at sales@accessfixtures.com. Click here to view Access Fixtures' [complete warranty policy](#). Need a Photometric Analysis for Your Project?

A photometric analysis creates a computer simulation of a particular project. No matter what you are lighting, a photometric analysis is an easy way to quantify light levels before making a purchase. When a report is generated, a lighting specialist will walk you through it, page by page, so you know exactly what you will be receiving. Photometrics include average footcandles, minimum foot candles, uniformity ratios, fixture spacing, light trespass info, and more, plus, the cost of the study is refunded back to you when you purchase the fixture. Call us at 800-468-9925 for more information about ordering a photometric analysis for your project.

Ready to Order OTOK 81w Linear LED High Bay, 80 CRI, 10,846 Lumens, 120-277v or Speak to a Lighting Specialist?

You can place your order online, here. Or, if you want additional information, give us a call at 800-468-9925. Does your project require multiple fixtures? Ask us about

quantity discounts. Our team of friendly expert lighting specialists is available to provide what you need to purchase fixtures and illuminate your project with confidence.

Product Attributes

- Dimensions: 25 × 9 × 9 in
- Weight: 25 lbs
- Availability: Typically ships in 5-7 business days
- Light Source: 4000K - Cool White, 5000K - Bright White
- Available Finishes: White
- Ballast/Driver: LED Driver
- Color Rendering Index (CRI): 80+
- Housing: Steel housing with polycarbonate diffuser
- Light Source Included: LED Array Included
- Lens: Frosted polycarbonate lens
- Listings: CUL, DLC Premium, IP20, UL
- Light Source Lumens: 10,846
- Mounting: Chain Mount, Hook Mount
- Product Family: OTOK
- Rated Life: 200,000+ Hours
- System Watts: 81
- Voltage: 120v, 208v, 240v, 277v
- Warranty: 5-Year Limited Warranty

Product Gallery



