


## Pickleball 2 Court LED Lighting, 4 20' Poles, 32fc, 1.39 max/min



**SKU:** AF72XPKC2FLB240L8P420DB2FC32

**Product Tags:** [Pickleball](#)

**Product Page:**

<https://www.accessfixtures.com/p/pickleball-2-court-led-lighting-4-poles/>

### Product Description

This Pickleball 2 Court LED Lighting, 4 20' Poles, 32fc, 1.39 max/min uses steel poles, 4 double bullhorns, and 8 APTA 240 fixtures to illuminate two pickleball courts for recreational play.

**Even Lighting:** This package utilizes 8 APTA 240 fixtures to produce an incredibly even max/min of 2.05.

**Light Four Courts:** Using 8 fixtures and 4 poles, this package illuminates two

pickleball courts at once.

**Extreme Life:** APTA is L70 rated at over 200,000 hours for years of maintenance free life.

#### Fixture Features

**Number of Luminaires:** 8

**Luminaires:** APTA 240 LED Sport Lights

**Fixture Wattage:** 246w

**Light Source Wattage:** 240w

**Light Source Lumens:** 30,420 (243,360 total lumens)

**Rated Life (L70):** 200,000+ Hours

**Optics:** Type 4 medium beam

**Weight:** 23.44 lbs each luminaire

**Dimensions:** 30.63" x 12.99" x 2.76"

**Housing:** Die-cast aluminum housing with corrosion-resistant polyester powdercoat. Finish meets 1,000-hour salt-spray certification per ASTM B117/ISO 9227:2012. Modular LED design with IP67 rating.

**Listings:** IP67, UL Listed, CuL Listed, RoHS, ENEC, CB, CB, IK08

**Voltage Compatibility:** 120-277v, optional high-voltage 347-480v available

**Dimming:** 0-10v dimming included in all fixtures.

**Backlight Shield:** to minimize light trespass, Included

**Warranty:** 5-Year Warranty

If you have additional questions about the fixtures used in this package, please call us at 800-468-9925.

#### Pole Features

**Number of Poles:** 4

**Number of Bullhorns:** 4 Double Bullhorns

**Pole Height:** 20 Feet

**Shaft Size:** 4" x 4"

**Gauge:** 11-Gauge

**Installation:** Anchor-Based

**Number of Anchor Bolts:** 4

**Base Plate Dimensions:** 10.5 x 10.5" x .75" thickness

**Base Plate Anchor Bolt Circle:** 8"-11" diameter

**Anchor Bolt Dimensions:** M22 x 33"

**Weight:** 205 lbs each pole, 410 lbs total

**Tenon:** 2 3/8" Tenon

**Finish:** Baked-on, textured, architectural bronze finish.

**Base Cover:** Square 10.75" x 10.75" x 5" 2-piece steel base cover

**Hand Hole:** Cast-iron-reinforced hand hole with cover

**Specifications:** Conforms to ASTM-A 500 Grade B. Minimum yield strength of 46,000 PSI.

Prompt Delivery of Your Pickleball 2 Court LED Lighting, 4 20' Poles, 32fc, 1.39 max/min

Everything in this package typically ships in 6-8 weeks. The fixtures are custom-built to order but we are almost always able to meet or exceed this estimated window. We'll ship your poles from the factory location closest to you. Stock does fluctuate, so call 800-468-9925 for an exact lead time.

### Access Fixtures Warranty

Access Fixtures is proud to assemble high quality, long lasting lighting products which are covered by a 5-year warranty. In accordance with our warranty policy, we will offer repair, replacement, or refund for qualifying claims. Please contact our friendly customer service team, located in Worcester, MA, to address any questions or concerns you may have. We can be reached at 800-468-9925 Monday-Friday 9-5 EST or via email at [sales@accessfixtures.com](mailto:sales@accessfixtures.com). Click [here](#) to view Access Fixtures' [complete warranty policy](#).

### Product Attributes

- Dimensions: 30 &times; 30 &times; 30 in
- Weight: 100 lbs

- Light Source: 3000K - Neutral White, 4000K - Cool White, 5000K - Bright White
- Availability: Typically ships in 6-8 weeks.
- Available Finishes: Bronze
- Ballast/Driver: Electronic 50/60 Hz
- Color Rendering Index (CRI): 70+, 80+, 90+
- Components: APTA Sports Light, Bullhorn, Pole Base Cover, Pole Mounting Kit, Slip Fitter Mount
- Features: Complete Sports Light Package, Wet location
- Housing: Die-cast aluminum housing with corrosion-resistant polyester powder. Finish meets 1,000-hour salt-spray certification per ASTM B117/ISO 9227:2012. Modular LED design with IP67 rating.
- Landing Page Attribute (LPA): Sports Package
- Listings: IP67, CB, CE, CuL Listed, ErP, IK08, RoHS, SAA, UL Listed
- Lumens: 243,360
- Mounting: Slip Fitter on Double Bullhorn
- Product Family: APTA
- Rated Life: 200,000+ Hours
- Sports Level of Play: NCAA/Televised
- Pole Height: 20 Feet
- Number of Fixtures: 8
- Number of Poles: 4
- System Watts Filter: 1,000w+
- Warranty: 5-Year Limited Warranty
- Number of Courts: 2
- Average Footcandles: 32
- Max/Min Uniformity: 1.83
- Voltage: 120v, 208v, 240v, 277v

## Product Gallery

**Pickleball 2 Court LED Lighting, 4 20'  
Poles, 32fc, 1.39 max/min**

- 4 20' Square Steel Poles
- 4 Double Bullhorns
- 8 APTA 240 LED Fixtures



**180° Double Bullhorn  
PRSD180BHZ**



## Back Light Shield



Light distribution without Back Light Shield



Light distribution with Back Light Shield



## Pickleball 2-Court Package

