

SARC 13w LED 12" Square Bulkhead Wall Pack with Grid, Extreme Life, 120-277v



SKU: AF33XWPS25GRQF1X12U

Product Tags: [LED](#)

Product Page:

<https://www.accessfixtures.com/p/sarc-13w-led-12-square-bulkhead-wall-pack-with-grid-extreme-life-120-277v/>

Product Description

The SARC 13w LED 12" Square Bulkhead Wall Pack Light with Grid, is extreme life, 120-277v, and also features a durable precision die-cast aluminum housing construction with a frosted shatter resistant polycarbonate lens for durability, resistance, and to eliminate hot spots.

Extreme Life: SARC 13w Square wall light with grid runs at only 20 watts and

features an impressive L70 rated life of 187,000 hours. This means that after 187,000 hours, this fixture will still emit 70% or greater of its original lumens. That's almost 22 years of sustained light.

Vandal Resistant Housing: Designed with a built-in grid across the lens to prevent breakage and add an aesthetic touch - this standout also features a durable precision die-cast aluminum housing construction with a frosted shatter resistant polycarbonate lens for durability, resistance, and the elimination of hot spots.

Value: This LED wall pack offers the same lumen output of a 50w metal halide fixture at a fraction of wattage and more than seven times the lifetime. This fixture will quickly pay for itself!

Features

SARC 13w LED 12" Square Bulkhead Wall Pack with Grid, Extreme Life, 120-277v includes;

Square bulkhead wall pack with grid

- 13w integrated LEDs - (CRI) of 80+ [color rendering index](#)] - 3,115 lumens - L70 rated life of 187,000 hours - Die-cast aluminum housing - 120-277v

Frosted shatter resistant polycarbonate lens

- CSA Listed for outdoor use in wet locations - 12" x 12" x 3.9" - 11 lbs. - Mounts directly onto a surface Options: - Finish: Bronze, White or Custom RAL - Kelvin temperature: 3000K, 4000K or 5000K - Photocell - Dimming Optional

Motion Sensor:

The motion sensor has a detection range of 8-30 feet when the fixture is mounted on the ceiling and 8-12 feet when the fixture is mounted on the wall. It has a number of adjustable options, including:

- Time Delay (5-second, 30-second, 90-second, 3-minute, 20-minute, and 30-minutes) - Detection Motion Speed (2- to 10-feet per second) - Daylight Sensor for Daylight Harvesting - Vacant to Dim Settings (10%, 20%, 30%, 50%) - Vacant Stand-By Delay (5 seconds, 5 minutes, 10 minutes, 30 minutes, and 60 minutes) Access Fixtures 5-Year Warranty

All Access Fixtures products come with a 5-year warranty. If your product is found to have a manufacturing defect, we will replace components, the entire product, or issue a refund. We stand behind the quality of our products. Our customer service team, located in Worcester, MA, is happy to address any questions, comments, or concerns you may have. Please give us a call at 800-468-9925. Please view Access Fixtures' [return policy](#). Need a Photometric Analysis for Your SARC 13w LED 12" Square Bulkhead Wall Pack with Grid, Extreme Life, 120-277v Project?

A photometric analysis creates a computer simulation of a particular project. No matter what you are lighting, a photometric analysis is an easy way to quantify light levels before purchasing. When a report is generated, a lighting specialist will walk you through it so you know exactly what you will be receiving. Photometrics include average and minimum footcandles, uniformity ratios, spacing, light trespass info, and more. Plus, the cost of the study is refunded back to you when you purchase the fixtures. Call us at 800-468-9925 for more information about ordering a photometric analysis for your project.

Ready to Order SARC 13w LED 12" Square Bulkhead Wall Pack with Grid, Extreme Life, 120-277v or Speak to a Lighting Specialist?

You can place your order online, [here](#). Or, if you want additional information, give us a call at 800-468-9925. Does your project require multiple fixtures? Ask us about quantity discounts. Our team of friendly expert lighting specialists are available to provide what you need to purchase fixtures and illuminate your project with confidence.

Product Attributes

- Dimensions: 15 × 15 × 6 in
- Weight: 15 lbs
- Availability: Typically ships in 5-7 business days
- Light Source: 4000K - Cool White, 5000K - Bright White
- Available Finishes: Bronze, White, Custom RAL
- Color Rendering Index (CRI): 80+

- Housing: Die cast aluminum housing
- Lens: Opalescent polycarbonate lens
- Light Source Included: LED Array Included
- Light Source Lumens: 1483
- Listings: CSA: Listed for wet locations, IP65
- Mounting: Surface Mount
- Product Family: SARC
- Rated Life: 187,000 Hours
- System Watts: 13
- Voltage: 120-277v
- Warranty: 5-Year Limited Warranty
- Style: Bulkhead, Forward Throw

Product Gallery





