

SARC 27w LED 12" Square Bulkhead Wall Pack, Extreme Life, 120-277



SKU: AF33XWPS25OFQF1X25U

Product Tags: [LED](#)

Product Page:

<https://www.accessfixtures.com/p/sarc-27w-led-12-square-bulkhead-wall-pack-extreme-life-120-277/>

Product Description

The SARC 27w Square Wall Light 120-277v features a durable precision die-cast aluminum housing construction with a frosted shatter resistant polycarbonate lens for durability, resistance, and to eliminate hot spots.

Forward Throw: This wall pack throws light in a wide forward arc, making it perfect for lighting large areas outside of buildings.

Extreme Life: SARC 27w Square wall light runs at only 27 watts and features an impressive L70 rated life of 187,000 hours. This means that after 187,000 hours, this fixture will still emit 70% or greater of its original lumens. That's almost 22 years of sustained light.

Value: This LED wall pack offers the same lumen output of a 50w metal halide fixture, at a fraction of wattage and more than seven times the lifetime. This fixture will quickly pay for itself!

Features

SARC 27w LED 12" Square Bulkhead Wall Pack, Extreme Life, 120-277v includes;

- Square wall pack fixture - 27w integrated LEDs - (CRI) of 80+ [color rendering index](#)]
- 3,667 lumens - L70 rated life of 187,000 hours - Die-cast aluminum housing
- 120-277v - Frosted shatter resistant polycarbonate lens - CSA Listed for outdoor use in wet locations - 12" x 12" x 3.9" - 11 lbs. - Mounts directly onto a surface
- Options: - Finish: Bronze, White or Custom RAL - Kelvin temperature: 3000K, 4000K or 5000K - Photocell - Dimming Optional Motion Sensor:

The motion sensor has a detection range of 8-30 feet when the fixture is mounted on the ceiling and 8-12 feet when the fixture is mounted on the wall. It has a number of adjustable options, including:

- Time Delay (5-second, 30-second, 90-second, 3-minute, 20-minute, and 30-minutes)
 - Detection Motion Speed (2- to 10-feet per second)
 - Daylight Sensor for Daylight Harvesting - Vacant to Dim Settings (10%, 20%, 30%, 50%)
 - Vacant Stand-By Delay (5 seconds, 5 minutes, 10 minutes, 30 minutes, and 60 minutes)
- Access Fixtures Warranty

Access Fixtures is proud to assemble high quality, long lasting lighting products which are covered by a 5-year warranty. In accordance with our warranty policy, we will offer repair, replacement, or refund for qualifying claims. Please contact our friendly customer service team, located in Worcester, MA, to address any questions or concerns you may have. We can be reached at 800-468-9925 Monday-Friday 9-5 EST or via email at sales@accessfixtures.com. [Click here to view Access Fixtures'](#)

[complete warranty policy](#). Need a Photometric Analysis for Your SARC 27w LED 12" Square Bulkhead Wall Pack, Extreme Life, 120-277v Project?

A photometric analysis creates a computer simulation of a particular project. No matter what you are lighting, a photometric analysis is an easy way to quantify light levels before purchasing. When a report is generated, a lighting specialist will walk you through it so you know exactly what you will be receiving. Photometrics include average and minimum footcandles, uniformity ratios, spacing, light trespass info, and more. Plus, the cost of the study is refunded back to you when you purchase the fixtures. Call us at 800-468-9925 for more information about ordering a photometric analysis for your project.

Ready to Order SARC 27w LED 12" Square Bulkhead Wall Pack, Extreme Life, 120-277v or Speak to a Lighting Specialist?

You can place your order online, here. Or, if you want additional information, give us a call at 800-468-9925. Does your project require multiple fixtures? Ask us about quantity discounts. Our team of friendly expert lighting specialists are available to provide what you need to purchase fixtures and illuminate your project with confidence.

Product Attributes

- Dimensions: 15 × 15 × 5 in
- Weight: 15 lbs
- Availability: Typically ships in 7-10 business days
- Light Source: 4000K - Cool White, 5000K - Bright White
- Available Finishes: Bronze, White, Custom RAL
- Color Rendering Index (CRI): 80+
- Housing: Die cast aluminum housing
- Lens: Opalescent polycarbonate lens
- Light Source Included: LED Array Included
- Light Source Lumens: 3667
- Listings: CSA: Listed for wet locations, IP65

- Mounting: Surface Mount
- Product Family: SARC
- Rated Life: 187,000 Hours
- System Watts: 27
- Voltage: 120-277v
- Warranty: 5-Year Limited Warranty
- Style: Bulkhead, Forward Throw

Product Gallery





