

SARC 20w LED 12" Square Canopy Light, Extreme Life, 120-277v



SKU: AF33XWPS25OFQF1X17U5KLCAN

Product Tags: [LED](#)

Product Page:

<https://www.accessfixtures.com/p/sarc-led-20w-square-canopy-light/>

Product Description

The SARC 20w LED 12" Square Canopy Light, Extreme Life, 120-277v features a durable precision die-cast aluminum housing construction with a frosted shatter resistant polycarbonate lens for durability, resistance, and to eliminate hot spots. The LEDs in this fixture throw light forward and the low-profile housing makes it easy to mount these units on the floor, wall, or ceiling. This is an ideal solution for any commercial application that requires a bright, efficient, and stylish fixture i.e.

public buildings, condominiums, shopping malls, recreational facilities, indoor pool rooms, locker rooms, outdoor pools, walkways, and more.

Forward Throw: This wall pack throws light in a wide forward arc, making it perfect for lighting large areas outside of buildings.

Extreme Life: SARC 20w Square canopy light runs at only 20 watts and features an impressive L70 rated life of 187,000 hours. This means that after 187,000 hours, this fixture will still emit 70% or greater of its original lumens. That's almost 22 years of sustained light.

Value: This LED wall pack offers the same lumen output of a 50w metal halide fixture, at a fraction of wattage and more than seven times the lifetime. This fixture will quickly pay for itself!

Features

SARC 20w LED 12" Square Canopy Light, Extreme Life, 120-277v includes;

- Square canopy light fixture - 20w integrated LEDs - (CRI) of 80+ [color rendering index](#)] - 1,614 lumens - Die-cast aluminum housing - 120-277v - Frosted shatter resistant polycarbonate lens - CSA Listed for outdoor use in wet locations - 12" x 12" x 3.9" - 11 lbs. - Mounts directly onto a surface Options: - Finish: Bronze, White or Custom RAL - Kelvin temperature: 3000K, 4000K or 5000K - Built-in photocell (whether installing these fixtures indoors or outdoors, when ambient light drops down - due to the sun setting or to other fixtures being turned off, the photocell will trigger the fixtures to turn on) - Battery backup (provides power to a fixture for 90 minutes after an outage) Optional

Motion Sensor:

The motion sensor has a detection range of 8-30 feet when the fixture is mounted on the ceiling and 8-12 feet when the fixture is mounted on the wall. It has a number of adjustable options, including:

- Time Delay (5-second, 30-second, 90-second, 3-minute, 20-minute, and 30-minutes) - Detection Motion Speed (2- to 10-feet per second) - Daylight Sensor for Daylight Harvesting - Vacant to Dim Settings (10%, 20%, 30%, 50%) - Vacant Stand-By Delay (5 seconds, 5 minutes, 10 minutes, 30 minutes, and

60 minutes) Access Fixtures 5-Year Warranty

All Access Fixtures products come with a 5-year warranty. If your product is found to have a manufacturing defect, we will replace components, the entire product, or issue a refund. We stand behind the quality of our products. Our customer service team, located in Worcester, MA, is happy to address any questions, comments, or concerns you may have. Please give us a call at 800-468-9925. Please view Access Fixtures' [return policy](#). Need a Photometric Analysis for Your SARC 20w LED 12" Square Canopy Light, Extreme Life, 120-277v Project?

A photometric analysis creates a computer simulation of a particular project. No matter what you are lighting, a photometric analysis is an easy way to quantify light levels before purchasing. When a report is generated, a lighting specialist will walk you through it so you know exactly what you will be receiving. Photometrics include average and minimum footcandles, uniformity ratios, spacing, light trespass info, and more. Plus, the cost of the study is refunded back to you when you purchase the fixtures. Call us at 800-468-9925 for more information about ordering a photometric analysis for your project.

Ready to Order SARC 20w LED 12" Square Canopy Light, Extreme Life, 120-277v or Speak to a Lighting Specialist?

You can place your order online, [here](#). Or, if you want additional information, give us a call at 800-468-9925. Does your project require multiple fixtures? Ask us about quantity discounts. Our team of friendly expert lighting specialists are available to provide what you need to purchase fixtures and illuminate your project with confidence.

Product Attributes

- Dimensions: 12.5 × 12.5 × 3.9 in
- Weight: 11 lbs
- Light Source: 4000K - Cool White, 5000K - Bright White
- Available Finishes: Bronze, White, Custom RAL
- Light Source Lumens: 1477

- Ballast/Driver: Electronic 50/60 Hz
- Light Source Included: LED Array Included
- Lens: Opalescent polycarbonate lens
- Mounting: Surface Mount
- Rated Life: 187,000 Hours
- System Watts: 20
- Voltage: 120-277v
- Warranty: 5-Year Limited Warranty
- Color Rendering Index (CRI): 80+
- Availability: Typically ships in 2-4 weeks

Product Gallery





