

SOLE 30w Solar LED Area Light



SKU: AF81XSTLSTC304

Product Tags: [Flood Light](#), [LED](#)

Product Page: <https://www.accessfixtures.com/p/sole-30w-solar-led-area-light/>

Product Description

The SOLE 30w Solar LED Area Light is a multipurpose solar-powered area light designed for many applications.

Runs on Sun: This fixture runs entirely on solar power - no external power sources needed.

Maximum Efficiency: This fixture emits up to 200 lumens per watt for maximum efficiency.

Included Sensors: SOLE comes with a built in microwave sensor and dimmer for optimal performance.

Features:

- Die cast aluminum housing - IP65 - 200 lumens per watt - 6,000 lumens - 12.8V 9AH battery - Self charge time < 7 hours - 70+ CRI - 3-year warranty - Built in motion sensor and dimmer - Completely adjustable solar panel - Field-replaceable battery - Operates at -4 °F to 122 °F - Mounts at 9 to 20 feet

Options:

- Mounting - Slipfitter, Round Pole Mount, or Square Pole Mount - Bronze or Gray - Kelvin - 3000K, 4000K, 5000K, or 5700K - Optics - Type II, III, or IV

Access Fixtures Warranty

Access Fixtures is proud to assemble high quality, long lasting lighting products which are covered by a 5-year warranty. In accordance with our warranty policy, we will offer repair, replacement, or refund for qualifying claims. Please contact our friendly customer service team, located in Worcester, MA, to address any questions or concerns you may have. We can be reached at 800-468-9925 Monday-Friday 9-5 EST or via email at sales@accessfixtures.com. Click [here](#) to view Access Fixtures' [complete warranty policy](#). Need a Photometric Analysis for Your SOLE 30w Solar LED Area Light Project?

A photometric analysis creates a computer simulation of a particular project. No matter what you are lighting, a photometric analysis is an easy way to quantify light levels before purchasing. When a report is generated, a lighting specialist will walk you through it so you know exactly what you will be receiving. Photometrics include average and minimum footcandles, uniformity ratios, spacing, light trespass info, and more. Plus, the cost of the study is refunded back to you when you purchase the fixtures. Call us at 800-468-9925 for more information about ordering a photometric analysis for your project.

Ready to Order SOLE 30w Solar LED Area Light or Speak to a Lighting Specialist?

You can place your order online, [here](#). Or, if you want additional information, give us a call at 800-468-9925. Does your project require multiple fixtures? Ask us about quantity discounts. Our team of friendly expert lighting specialists are available to provide what you need to purchase fixtures and illuminate your project with confidence.

Product Attributes

- Dimensions: 36 × 18 × 5 in
- Weight: 35 lbs
- Availability: Typically ships in 2-4 weeks
- Light Source: 3000K - Neutral White, 4000K - Cool White, 5000K - Bright White, 5700K - Cinematography
- Available Finishes: Bronze, Gray
- Color Rendering Index (CRI): 70+
- Housing: Die-cast aluminum housing
- Lens: Clear polycarbonate lens
- Light Source Included: LED Array Included
- Light Source Lumens: 6,000
- Listings: Wet locations, IP65
- Mounting: Round Pole Mount, Square Pole Mount, Slip Fitter
- System Watts Filter: 20w - 49w
- Warranty: 3-Year Limited Warranty

Product Gallery











