

SULO 10w Solar Area Light



SKU: AF81XSTL-FL104YYBK

Product Tags: [Flood Light](#), [LED](#)

Product Page: <https://www.accessfixtures.com/p/sulo-10w-solar-area-light/>

Product Description

The SULO 10w Solar Area Light is a solar-powered area light designed for a variety of applications.

Runs on Sun: This fixture runs entirely on solar power - no external power sources needed.

Adjustable Panel: The integrated solar panel on the SULO can move 360 degrees to catch the light.

Included Controls: SULO includes a multi-mode control system for optimal performance.

Features:

- Die cast aluminum housing - IP65 - 100 lumens per watt - 1080 lumens - 7.4V 5.4 lithium ion battery - Self charge time < 7 hours - Run time 2-3 days - 70+ CRI - Bracket mount - 3-year warranty - 90 degree beam angle - Built in control system - Photocell and microwave sensor included - Completely adjustable solar panel - Operates at -5 °F to 113 °F - Black powdercoat finish
 - Options:
 - Kelvin - 4000K or 5000K
- Need a Photometric Analysis for Your SULO 10w Solar Area

Light Project?

A photometric analysis creates a computer simulation of a particular project. No matter what you are lighting, a photometric analysis is an easy way to quantify light levels before purchasing. When a report is generated, a lighting specialist will walk you through it so you know exactly what you will be receiving. Photometrics include average and minimum footcandles, uniformity ratios, spacing, light trespass info, and more. Plus, the cost of the study is refunded back to you when you purchase the fixtures. Call us at 800-468-9925 for more information about ordering a photometric analysis for your project.

Ready to Order SULO 10w Solar Area Light or Speak to a Lighting Specialist?

You can place your order online, here. Or, if you want additional information, give us a call at 800-468-9925. Does your project require multiple fixtures? Ask us about quantity discounts. Our team of friendly expert lighting specialists are available to provide what you need to purchase fixtures and illuminate your project with confidence.

Product Attributes

- Dimensions: 20 × 17 × 17 in
- Weight: 35 lbs
- Availability: Typically ships in 2-4 weeks
- Light Source: 4000K - Cool White, 5000K - Bright White
- Available Finishes: Black
- Color Rendering Index (CRI): 70+
- Housing: Die-cast aluminum housing

- Lens: Clear polycarbonate lens
- Light Source Included: LED Array Included
- Light Source Lumens: 1,080
- Listings: Wet locations, IP65
- Mounting: Yoke Mount/U-Bracket Mount
- System Watts Filter: 1w - 19w
- Warranty: 3-Year Limited Warranty

Product Gallery





