

## SYRF 11w LED Square Canopy Light, 120-277v



**SKU:** AF33XSLS7Q

**Product Tags:** [LED](#)

**Product Page:**

<https://www.accessfixtures.com/p/syrf-11w-led-square-canopy-light-120-277v/>

### Product Description

The SYRF 11w LED Square Canopy Light, 120-277v is a surface mount luminaire designed for mounting over standard 3" or 4" recessed outlet boxes. The superior optics facilitate broad light distribution to light adjacent walkways and parking spaces. Additional lighting applications include retail centers, multi-unit housing, hotels, schools, public transit locations i.e. airports, and medical facilities.

**Value:** The SYRF 11w LED Square Canopy Light is budget friendly and efficient, boasting over 22 lumens per dollar

**Polycarbonate Lens:** The frosted white shatter resistant polycarbonate lens of the SYRF 11w LED Square Canopy Light eliminates glare and diffuses light

**Durable Housing:** This fixture boasts a one piece vandal resistant lens and a sturdy die-cast aluminum housing

## Features

SYRF 11w LED Square Canopy Light, 120-277v includes:

- Square surface mount luminaire - Die-cast aluminum housing - 120-277v - 11w LED - Aluminum LED boards - L70 rated life of 165,000 hours - 4000K - 80 CRI - 890 Lumens - 0-10v Dimming - Operating temperature of -40°C to +40°C
- White frosted shatter resistant polycarbonate lens - IP54 Rated - CSA: Listed for damp locations - Built-in 0 -10v dimmable driver - White powdercoat finish over a chromate conversion coating - 7" x 1 7/8" x 7" - 2 lbs. Mounting

## Options

SYRF 11w LED Square Canopy Light, 120-277v includes:

- Includes push-in wire connector - Mount over a 3" or 4" recessed outlet box - Mounting heights of 8 to 12 feet can be used based on light level and uniformity requirements **Access Fixtures Warranty**

Access Fixtures is proud to assemble high quality, long lasting lighting products which are covered by a 5-year warranty. In accordance with our warranty policy, we will offer repair, replacement, or refund for qualifying claims. Please contact our friendly customer service team, located in Worcester, MA, to address any questions or concerns you may have. We can be reached at 800-468-9925 Monday-Friday 9-5 EST or via email at [sales@accessfixtures.com](mailto:sales@accessfixtures.com). Click [here](#) to view Access Fixtures' [complete warranty policy](#). Need a Photometric Analysis for Your SYRF 11w LED Square Canopy Light, 120-277v Project?

A photometric analysis creates a computer simulation of a particular project. No matter what you are lighting, a photometric analysis is an easy way to quantify light levels before purchasing. When a report is generated, a lighting specialist will

walk you through it so you know exactly what you will be receiving. Photometrics include average and minimum footcandles, uniformity ratios, spacing, light trespass info, and more. Plus, the cost of the study is refunded back to you when you purchase the fixtures. Call us at **800-468-9925** for more information about ordering a photometric analysis for your project.

Ready to Order SYRF 11w LED Square Canopy Light, 120-277v or Speak to a Lighting Specialist? You can place your order online or if you want additional information, give us a call at **800-468-9925**. Our team of friendly, expert high performance lighting specialists are available to provide what you need to purchase fixtures and illuminate your project with confidence.


## Product Attributes


- Dimensions: 10 &times; 10 &times; 4 in
- Weight: 4 lbs
- Availability: Typically ships in 7-10 business days
- Light Source: 4000K - Cool White
- Available Finishes: White, Custom RAL
- Color Rendering Index (CRI): 80+
- Housing: Die-Cast Aluminum Housing with Built-In Heat Sink
- System Watts: 11
- Lens: Opalescent polycarbonate lens
- Light Source Included: LED Array Included
- Light Source Lumens: 890
- Listings: ANSI/UL 1598, 8750, CSA: Listed for damp locations, IP54
- Mounting: Surface Mount
- Product Family: SYRF
- Rated Life: 165,000 Hours
- Voltage: 120v, 208v, 240v, 277v
- Warranty: 5-Year Limited Warranty

## Product Gallery

### Height

<b>Height 1 (A)</b>	1" (25mm)
<b>Height 2 (B)</b>	1 <sup>7</sup> / <sub>8</sub> " (48mm)
<b>Length (L)</b>	7" (178mm)
<b>Width (W)</b>	7" (178mm)





Maximum Candela = 305,943 Located At Horizontal Angle = 270, Vertical Angle = 2,5  
# 1 - Vertical Plane Through Horizontal Angles (270 - 90) (Through Max. Cd.)  
# 2 - Horizontal Cone Through Vertical Angle (2,5) (Through Max. Cd.)

