

## VILA 86w LED Outdoor Post Light, EXTREME-LIFE



**SKU:** AF33XPB2S\*FQF1X84

**Product Tags:** [Exterior Lighting](#), [Exterior Pathway Lighting](#), [LED](#), [Post Top Lights](#)

**Product Page:**

<https://www.accessfixtures.com/p/vila-86w-outdoor-post-light-package-120-277v/>

### Product Description

#### VILA 86w LED Outdoor Post Light Features

- 86w system watts - Black or custom RAL color

#### Dimensions:

- Height with Fleur-De-Lis: 40" - Height with Spear: 39.5" - Inner Diameter:  
3.125" - Outer Diameter: 3.5625" - Diameter: 16.375" - L70 @ 473,000 hours

#### Prismatic Acrylic Globes

- Type III

Type V

- Both with 9" neck - Textured black powder coat finish over a chromate conversion coating - CSA listed for wet locations - IP66 rated

Sand-cast aluminum housing

Includes mounting hardware

- Accommodates "P3" 27/8" O.D. x 3" Tenons - Decorative spun aluminum cap - Finials have spun aluminum base with cast aluminum Fleur-De-Lis or Spear

Stamped and formed heavy-duty aluminum clamp bands

- Standard clamp band - Deluxe clamp band with decorative band

Premium clamp band with decorative band with three decorative supports

- All include black oxide mounting hardware - Mounting heights of 12-20 feet can be used based on light level and uniformity requirements - Standard internal surge protection 6kV

0-10v dimming

- Fixtures are not designed for use with line voltage dimmers. - 120-277v or 347-480v - 50/60Hz electronic drivers - 5-Year Warranty for -40°C to +50°C

Environment VILA 86w LED Outdoor Post Light Options

- Choice of Type V or Type III optics - Choice of Kelvin - 37w, 68w, or 86w - Choice of spear or fleur-de-lis finial - Choice of standard, banded, or ornate housing - Internal microwave sensor - Contact a lighting specialist about custom RAL colors - Single fuse - Double fuse - Microwave Sensor with Dimming, 120-277V - Tenon Adaptor Access Fixtures Warranty

Access Fixtures is proud to assemble high quality, long lasting lighting products which are covered by a 5-year warranty. In accordance with our warranty policy, we will offer repair, replacement, or refund for qualifying claims. Please contact our friendly customer service team, located in Worcester, MA, to address any questions or concerns you may have. We can be reached at 800-468-9925 Monday-Friday 9-5 EST or via email at [sales@accessfixtures.com](mailto:sales@accessfixtures.com). Click here to view Access Fixtures' [complete warranty policy](#). Need a Photometric Analysis for Your VILA 86w Outdoor Post Light Project?

A photometric analysis creates a computer simulation of a particular project. No matter what you are lighting, a photometric analysis is an easy way to quantify

light levels before purchasing. When a report is generated, a lighting specialist will walk you through it so you know exactly what you will be receiving. Photometrics include average and minimum footcandles, uniformity ratios, spacing, light trespass info, and more. Plus, the cost of the study is refunded back to you when you purchase the fixtures. Call us at 800-468-9925 for more information about ordering a photometric analysis for your project.

Ready to Order VILA 86w Outdoor Post Light or Speak to a Lighting Specialist?


You can place your order online or if you want additional information, give us a call at 800-468-9925. Our team of friendly, expert high performance lighting specialists are available to provide what you need to purchase fixtures and illuminate your project with confidence.

## Product Attributes

- Dimensions: 30 &times; 30 &times; 30 in
- Weight: 35 lbs
- Light Source: 3000 Kelvin LED Light Fixtures, 4000K - Cool White, 5000K - Bright White
- Available Finishes: Black, Custom RAL
- Ballast/Driver: Electronic 50/60 Hz
- Color Rendering Index (CRI): 80+
- Components: LED Post-Top Luminaire
- Housing: Sand Cast Aluminum Housing
- Listings: IP66, ANSI/UL 1598, 8750, CSA: Listed for wet locations
- Mounting: Round Pole Mount
- Rated Life: 473,000 Hours
- System Watts: 86
- Warranty: 5-Year Limited Warranty
- Light Source Included: LED Array Included
- Light Source Lumens: 6,605
- Lens: Prismatic acrylic lens

- Availability: Typically ships in 4-6 weeks

## Product Gallery



**Deluxe  
Decorative  
Band**



**Premium  
Decorative  
Band**





**Fleur-de-lis  
Finial**



**Spear  
Finial**




Figure 7. IESNA Outdoor lighting distribution types I - V.



**BUY AMERICAN  
ACT COMPLIANT**