

SPEC
SHEET

PC Amber

HEZE

LED Wall Pack

AccessFixtures.com

1

Full Cutoff:

The full cutoff design of this wall pack helps to meet local lighting ordinances by minimizing light trespass – also making it neighbor and dark-sky friend

2

EXTREME-LIFE:

L70 rated life of 213,000 hours. This means that after 213,000 hours this fixture will still deliver 70% or more of its initial lumens – making it virtually maintenance-free.

3

Durable Housing:


Durable Housing: Die cast hinged and gasketed aluminum front frame and housing with ½" coin plugs. Nickel-plated stainless steel hardware. Photocell adaptable.

highlights



Dimensions

Width (D)	14 1/2" (362mm)
Length (B)	11 1/2" (289mm)
Height (A)	9 1/2" (232mm)



PH: 800-468-9925

Sales@AccessFixtures.com

AccessFixtures.com



AccessFixtures

High-Performance Lighting Solutions

Light Source	LED
Kelvin	PC Amber
Watts	40w
Available Finishes	Textured Architectural Bronze Powdercoat Finish Over a Chromate Conversion Coating. Custom Colors Available Upon Request
Housing	Die Cast Hinged and Gasketed Aluminum Front Frame and Housing with ½" Coin Plugs. Nickel-Plated Stainless Steel Hardware
BUG Rating	Type V: 2, 2, 0
Mounting	Cast-in Template for Mounting Directly Over a 4" Recessed Outlet Box, or Use ½" Surface Conduit
Lumens	Up to 4,343
LPW	108
Lens	Tempered clear flat glass lens or tempered clear flat prismatic glass lens
Driver	Electronic Driver, 120-277V, 50/60Hz
Dimensions	11⅜" L x 14¼" W x 9⅛" H
Listings	CSA, IP65, ANSI/UL
Voltage	120-277v
Photocell	Photocell Adaptable
Warranty	5-year limited warranty

HEZE OPTIONS

OPTIONS

- 20KA Surge Protection
- 90min Emergency battery backup

PHOTOMETRICS / SPECTRAL CHART

