

SPEC  
SHEET



# RITU

LED Post-Top Light

AccessFixtures.com

## EXTREME-LIFE:

**1** URZA's exceptional design produces an EXTREME-LIFE rating of L70 @ 473,000 hours for years of virtually maintenance-free performance.

## Multiple Options:

**2** RITU's choice of options allows you to truly customize this project to meet all your design needs.

## Premium Build:

**3** IP66 rated against water jets, CSA listed for wet locations, surge protection, and die-cast aluminum housing for maximum life and durability to withstand extreme weather conditions.

highlights



PH: 800-468-9925  
Sales@AccessFixtures.com  
AccessFixtures.com




AccessFixtures  
High-Performance Lighting Solutions

## RITU FEATURES

<b>Light Source</b>	LED
<b>Kelvin</b>	3000K, 4000k, 5000K
<b>Watts</b>	108w, 190w
<b>Available Finishes</b>	Black, Custom RAL
<b>Housing</b>	Die-Cast Aluminum
<b>Finish</b>	Textured architectural powdercoat finish over chromate conversion coating
<b>Lumens</b>	Up to 27,787 lumens
<b>Dimensions</b>	26.125"D x 19.875"H
<b>Lens</b>	UV-Stabilized polycarbonate clear
<b>Mounting</b>	Accommodates "P3" 27/8" O.D. x 3" Tenons
<b>Listings</b>	CSA, IP66
<b>Voltage</b>	120-277v, 347-480v
<b>Warranty</b>	5-year limited warranty



## RITU DIMENSIONS




### Dimensions

**Diameter (D)** | 26<sup>3</sup>/<sub>4</sub>" (679mm)

**Height (A)** | 19<sup>7</sup>/<sub>8</sub>" (505mm)

## RITU PHOTOMETRICS



Distance in Units Of Mounting Height  
Values Based On 10 Foot Mounting Height  
1/2 Maximum Candela Trace Shown As Dashed Curve  
(\*) = Maximum Candela Point

Grid in MH  
MH=10 Feet

