

# ARIE LED WALL PACK



#### AccessFixtures.com

#### **EXTREME-LIFE:**


ARIE is L70 rated at a whopping 187,000 hours, ensuring years of maintenance free life.

### **Dark Sky Style:**

With a choice of 3000K, this full cutoff wall pack is excellent for preventing light trespass and uplight.

#### **Glare-Free:**

This wall pack boasts an opal shatter resistant polycarbonate lens which diffuses light and prevents glare.



PH: 800-468-9925 Sales@AccessFixtures.com AccessFixtures.com






## **ARIE FEATURES**

<b>Light Source</b>	LED
Kelvin	3000K, 400K, 5000K
Watts	19w
Color Options	Black, Bronze, Custom RAL
Housing	Die-cast aluminum
CRI	80+
Lumens	2081
Lens	Opalescent polycarbonate diffuser lens
<b>BUG Rating</b>	1, 1, 0
Rated Life	187,000 Hours
Mounting Height	10 ft., 15 ft.
Mounting	Includes decorative mounting arm, Includes template for mounting directly over 4-inch electrical box
Listings	IP66, CSA: Listed for wet locations
Product Family	ARIE
Voltage	100-277 VAC
Warranty	5-year limited warranty

#### **Dimensions**

Width<sup>2</sup> (C)


Height (A) Length (B) 11" (279mm) 21½" (547mm) 15½" (394mm)







### **PHOTOMETRIC ANALYSIS**



Distance In Units Of Mounting Height Values Based On 10 Foot Mounting Height 1/2 Maximum Candela Trace Shown As Dashed Curve (+) = Maximum Candela Point

