

SPEC  
SHEET



# RADE

LED Post Top Light

[AccessFixtures.com](http://AccessFixtures.com)

1

**Selectable Kelvin & Optics:**

Get the exact Kelvin and Optics you want at the site with the flick of a smart controller switch. Choose from 3000K, 4000K, or 5000 Kelvin, or Type 3 or Type 5 optics.

2


**Enhanced Light Distribution:**

RADE has an LED array precisely engineered to provide even illumination while its frosted lens enhances light distribution and minimizes glare.

3

**Photocell:**

Integrated photocell makes for easy on-off control and energy savings.



PH: 800-468-9925

[Sales@AccessFixtures.com](mailto:Sales@AccessFixtures.com)

[AccessFixtures.com](http://AccessFixtures.com)



**AccessFixtures**

High-Performance Lighting Solutions



# AccessFixtures

High-Performance Lighting Solutions

## RADE FIXTURE FEATURES

<b>Light Source</b>	LED
<b>Kelvin</b>	Selectable 3000K, 4000K, 5000K
<b>Watts</b>	30w, 60w
<b>Optics</b>	Type III, Type IV and Type V
<b>Available Finishes</b>	Black
<b>Housing</b>	Die-cast aluminum housing
<b>Lumens</b>	Up to 13,000 lumens
<b>Dimming</b>	0-10V
<b>Mounting</b>	Mounting: 9-26 feet
<b>Total Harmonic Distortion</b>	<20%
<b>Listings</b>	DLC, IP65 rated, CE, ETL, RoHS compliant
<b>Product Family</b>	RADE
<b>Voltage</b>	100-277 VAC, 347-480 VAC
<b>Warranty</b>	5-year limited warranty





# AccessFixtures


High-Performance Lighting Solutions

## RADE OPTIONS:


OPTIONS

- 30w or 60w
- Optional photocell
- 120-277v or 347-480v

## RADE PHOTOMETRICS



Type V



Type III

