

SPEC SHEET

Wattage
Selectable

COLOR
TUNABLE
3000K-5000K



ZIKO

LED Wall Pack

Selectable Kelvin 3000K, 4000K 5000K. Selectable Wattage: 30, 42, 46w or 62, 92, 100w

AccessFixtures.com

1 Selectable Wattage:

Get the exact amount of light desired using Selectable 16, 30, 42, or 46 wattage or 62, 92, or 100 wattage, and additional lighting control using the 0-10v dimmable driver.


2 Selectable Kelvin

Select the exact Kelvin you want for your location with the flick of a switch. Choose 3000 Kelvin, 4000 Kelvin, or 5000 Kelvin.

3 Durable & Waterproof:

Featuring a die-cast aluminum housing, ZIKO is UL, DLC, CuL, and RoHS listed for wet locations.

highlights



PH: 800-468-9925
Sales@AccessFixtures.com
AccessFixtures.com



AccessFixtures
High-Performance Lighting Solutions



ZIKO FEATURES

Light Source	LED
Kelvin	Selectable Kelvin: 3000K, 4000K, 5000K
Watts	Selectable Wattage: 30/42/46w or 62/92/100w
Available Finishes	Bronze
Housing	Die-cast aluminum
CRI	80+
Photocell Button	photocell 129-277v
Lumens	6,520 / 14,705
BUG Rating	2, 5, 5
Efficacy	138 LPW
Lens	High impact polycarbonate lens
Dimensions	9.72" x 13.17" x 5.91"
Listings	CUL, DLC, UL, ROHS
Product Family	ZIKO
Voltage	120-277v
Mounting	Quick mount
Warranty	5-year limited warranty





AccessFixtures

High-Performance Lighting Solutions

ZIKO OPTIONS

OPTIONS

- Selectable Kelvin
- Selectable Wattage
- 8w Emergency Backup Battery
- 120-277v OCC sensor
- 10KV Surge Protection

